




BEST Precision Exit Devices & Trims Price List PL77 | February 2025







What's New

This price book dated February 2025 contains updated product information. All changes are listed below and take effect February 3, 2025.

BEST Precision Exit Devices

• Prices increased by 3.7% (average)

Contents

General Information

| Terms and Conditions of Sale | 3 |
|---|----|
| How to Order | 6 |
| Finishes | 7 |
| Wide Stile Devices | |
| PRECISION 2100 – Rim – Reversible, Wide Stile | 8 |
| PRECISION 2200 – Surface Vertical Rod – Reversible, Wide Stile | 9 |
| PRECISION 2300 – Mortise - Handed, Wide Stile | 10 |
| Narrow Stile Devices | |
| PRECISION 2400 – Rim - Non Handed, Narrow Stile | 11 |
| PRECISION 2600 – Concealed Vertical Rod - Non Handed, Narrow Stile | 12 |
| Wide Stile Devices | |
| PRECISION 2700 – Wood Door Concealed Vertical Rod - Reversible, Wide Stile | 13 |
| PRECISION 2800 – Concealed Vertical Rod - Reversible, Wide Stile | 14 |
| Decorative Levers list Price | |
| 2900/4900 Series Trims | 15 |
| PRECISION 5000 Series | |
| PRECISION 5100 – Precision Rim - Non Handed | 16 |
| PRECISION 5200 – Surface Vertical Rod - Reversible | 17 |
| PRECISION 100; 200; 300 Series | |
| PRECISION 100 – Rim - 100 Handed, R100 Reversible, Crossbar | 18 |
| PRECISION 200 – Surface Vertical Rod - Non Handed, Crossbar | 19 |
| PRECISION 300 – Mortise - Handed, Crossbar | 20 |
| Arm-A Dor® | |
| 7R0 – Arm-A-Dor® – Security Exit Hardware | 21 |
| Trims | |
| Precision Wide & Narrow Stile, & Trim | 22 |
| | |

| 23 |
|----|
| 24 |
| |
| 24 |
| 25 |
| |
| 27 |
| 29 |
| 30 |
| 31 |
| 32 |
| 32 |
| |
| 33 |
| 34 |
| 35 |
| 36 |
| 36 |
| |
| 37 |
| 38 |
| |

NOTE: AS A RESULT OF BRAND MIGRATION FROM PRECISION TO BEST, PRECISION WILL BECOME THE PRODUCT NAME.

- APEX 2000 SERIES WILL NOW BE KNOWN AS BEST PRECISION 2000 SERIES
- RELIANT 5000 WILL NOW BE KNOWN AS BEST PRECISION 5000 SERIES
- OLYMPIAN 100; OLYMPIAN 200 AND OLYMPIAN 300 SERIES' WILL NOW BE KNOWN AS BEST PRECISION 100; 200 & 300 SERIES

Terms and Conditions of Sale

Acceptance. The following Terms and Conditions of sale are applicable 1 to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A OUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

I. **Order Procedure.** Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. **Quotations**. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in the quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in this quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. All Quotations and resulting orders are subject to Seller's Terms and Conditions set forth in the price book.

3. Site Requirements.

- a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials (i.e. electrical work, floor work, adjacent construction). When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.
- b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

General Information

4. Warranty. Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in the Price Book and will be free from defects in workmanship and materials. The duration of each product warranty is dependent on the particular product. Refer to EAD & DHW warranty statement. Extended warranties may be available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

DISCLAIMER OF FURTHER WARRANTIES. EXCEPT AS SET FORTH ABOVE, THERE IS NO WARRANTY, REPRESENTATION, OR CONDITION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE PRODUCTS FOR ANY USE CONTEMPLATED BY BUYER) CONCERNING

SELLER'S PRODUCTS OR SERVICES AND NONE SHALL BE IMPLIED BY LAW.

5. LIMITATION OF LIABILITY AND REMEDIES. SELLER SHALL NOT BE LIABLE, AND BUYER WAIVES ALL CLAIMS AGAINST SELLER FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES AND PROFITS EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BUYER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION UNDER THESE TERMS AND CONDITIONS IS A CLAIM FOR DAMAGES AND IN NO EVENT WILL DAMAGES OR ANY OTHER RECOVERY OF ANY KIND AGAINST SELLER EXCEED THE PURCHASE PRICE OF THE SPECIFIC PRODUCTS OR SERVICES AS TO WHICH THE CLAIM IS MADE. SELLER WILL NOT BE LIABLE TO BUYER FOR ANY LOSS, DAMAGE, OR INJURY TO PERSONS OR PROPERTY RESULTING FROM THE HANDLING, STORAGE, TRANSPORTATION, RESALE, OR USE OF THE PRODUCTS IN MANUFACTURING PROCESSES, OR IN COMBINATION WITH OTHER SUBSTANCES, OR OTHERWISE.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or



Terms and Conditions of Sale (con't)

General Information

any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. **Ownership of Inventions.** All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, Seller will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. **Prices.** Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

II. **Payments.** Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 2% per month (24% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account,

work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. **Cancellation.** In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 35% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. **Storage**. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. **Insolvency.** Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. **Ownership of Equipment.** Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. **Confidential Information.** All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which [a] at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or

Terms and Conditions of Sale (con't)

General Information

further exercise thereof or the exercise of any other right, remedy, power or privilege

19. Assignment. No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.


22. Installation Projects. Communication: Buyer shall communicate all of these installation terms to any end-user receiving installation services from dormakaba. Work Execution: Any installation quote is prepared with the understanding that openings within the scope of work ("Work") have doors and frames in good working order. dormakaba will perform the Work in the order set forth in a field survey conducted by an end-user, an end-user consultant, or Buyer prior to beginning the installation. Work shall occur weekdays during normal business hours (M-F, 8am - 5pm, local time). Work performed outside of normal business hours is available at a rate of 135% of the normal base rate. Any Work requested to be performed outside of normal business hours will require start and stop time confirmation with installation site, such start and stop time to be obtained by the Buyer or the end-user. Installation Projects are performed as one continuous installation event, from commencement until the completion of the installation. Unless specifically noted otherwise in writing, there will be additional charges for delays or additional trips not caused by dormakaba. Commencement of installation is conditioned on acceptable site conditions, including the completion of dependent scopes of work (e.g., electrical work, keying meetings, distribution of credentials). When Buyer or end-user has given authorization for work to begin, Buyer or end-user shall ensure no other scopes may impede dormakaba's ability to complete installation in agreed upon area. dormakaba reserves the right to assess a fee for costs incurred due to unacceptable site conditions or delays by others resulting in additional installation visits. Union labor, prevailing wage, and certified payroll are excluded from the installation quote unless otherwise set forth in writing. Insurance certificates will be provided upon request. Coverage is limited to the types and amounts set forth on the insurance certificate. Includes execution of materials only as detailed within proposal. Additional Charges: Additional charges may be assessed for delays or additional install time to correct any deficiencies or discrepancies between scope of work and actual jobsite. Any dormakaba materials delivered to Buyer but missing from installation site will be reordered at customer's expense. Any hardware changes or change orders shall be quoted on a separate proposal and timeline. Storage: dormakaba reserves the right to assess a storage fee if Buyer or end-user causes delivery to be delayed after the agreed upon delivery date. Should project timeline require storage of materials after delivery to Buyer or end-user, through no act or omission of dormakaba, dormakaba reserves the right to assess a storage fee, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Exclusions: Unless explicitly included in the installation quote, these are excluded: Distribution to staff of any form of keys, fobs or cards or credentials; any temporary security, barricades, or signage; all carpentry work outside of this specification including drywall, paint, framing, patching of existing holes, etc.; union labor, prevailing wage & certified payroll

unless noted otherwise; permits are the responsibility of the end-user; Any special consideration for asbestos and lead paint hazards; any bonds; any NFPA or other certification of tolerances or rating concerning product, door, and frame configuration; disposal of material and packaging; damage from negligence, vandalism or Force Majeure; cleaning of site beyond broom clean; cost for special insurance requirements; consumable materials (e.g., batteries); any electrical work including 120v connections and low voltage wiring pulls; and other similar categories of labor and materials not included in the installation quote.

23. ay dormakaba will provide one (1) year warranty on materials to be free from manufacturer defects and on installation labor performed. Extended warranties are available for an additional cost. dormakaba is not responsible for defects or damages caused by wear and tear, consumable materials (e.g., batteries), vandalism, fires, storms, floods, acts of God, misuse, abuse, or alteration on by any company other than dormakaba. No credit will be provided for any work completed by others during warranty term. dormakaba reserves the right to withhold the performance of warranty work if Buyer payments have become past due. Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable. In the event that Buyer, its agents, employees, successors, and/or assigns tampers with, misuses, removes any parts, or adds any parts or equipment, Buyer agrees to indemnify, save and hold harmless dormakaba, its agents, employees, successors, and/or assigns, from any and all liability, damages, or losses, including reasonable attorney's fees, arising out of, or incidental to, the aforementioned conduct. dormakaba warrants that all goods manufactured by dormakaba and all services provided by dormakaba hereunder will be free from defects in workmanship and materials for twelve (12) months from the date of final project invoice to the carrier, unless sold as "With All Faults", "Shop", "As Is", "As They Stand" or other similar designation. Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.



How to Order



DEVICE ONLY: List quantity, device model w/function, hand, finish, strike, and door size including thickness. Note: For greater exit device mounting heights, see extended bottom rods.

FINISHES

For standard finishes in each series, see individual product pages. For other finishes, consult factory.

| BHMA | US | DESCRIPTION |
|-------|-------|------------------------------------|
| 600* | USP | Primed for Paint |
| 605 | US3 | Bright Brass, Clear Coated |
| 606 | US4 | Satin Brass, Clear Coated |
| 612 | US10 | Satin Bronze, Clear Coated |
| 613 | US10B | Satin Bronze, Oxidized, Oil Rubbed |
| 622 | | Powder Coat Black |
| 625 | US26 | Bright Chrome Plated |
| 626W | | Weatherized Satin Chrome |
| 628 | US28 | Satin Aluminum, Clear Anodized |
| 630 | US32D | Satin Stainless Steel |
| 630AM | | Satin Stainless Steel with |
| | | UltraShield™ Antimicrobial coating |
| 689* | | Aluminum Paint / Powder Coat |
| 690 | | Powder Coat Dark Bronze |
| 695* | | Dark Bronze Paint / Powder Coat |

UltraShield[™] Antimicrobial finish coating option available to Precision & Precision Exit Devices & Trims. 630AM list price add \$90.00 Exit Devices, \$37.00 Trims

SPLIT FINISHES

When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price (see specific device page), to appropriate "Trim" price. *Mullion finishes 689 & 695 finishes for Precision series exit devices.

DEVICES FOR DOOR WIDTHS

Stock Size for 3'-0" or 4'-0" wide door is available for all series of devices. Stock Size for 2'-0" to 2'-6" wide door is also available for Precision wide stile only. For factory cutting add \$23.00 list per device cutting charge (FC). Please provide cut required details. Factory cuts limit product option capatibility.

DOOR THICKNESS

Rim and Surface Vertical Rod exit device accommodates doors ranging from 1-3/4"– 2-1/4" Mortise and Concealed Vertical Rod exit devices accommodate 1-3/4" thick doors. For applications exceeding the door thickness referenced above, please consult Product Support. Additional charges will apply.

FASTENERS

Furnished standard with machine screws and full thread wood/sheet metal screws. Specify Sex Nuts and Bolts "SNB" where recommended or required by the door manufacturer.

SEX NUTS & BOLTS (Not furnished standard)

1/4-20 Thread – When used with top & bottom

surface vertical rod latches: (Part # 02399-91 x Finish).

10-24 Thread – When used with end cap bracket, active case and rod guides: (Part # 02408-91 x Finish). If Sex Nuts and Bolts are required, see individual device pages for quantity required and pricing. To order separately, specify "SNB" × Finish. See exit device page for sex bolt pricing.

SECURITY SCREWS

All exposed screws will be Torx[®] pin tamper resistant machine screws. Specify "SEC" Security Screws. If Security Screws are specified see individual device pages for the price.

605,

625

2,961.00

3,251.00

3,442.00

626W

Weatherized

2,897.00

3,173.00

3,360.00

606, 612 613, 622, 630, 690

2,650.00

2,926.00

3,113.00

628

2,302.00

2,578.00

2,765.00



| Pull Trim: | | |
|------------|---|--|
| 01 | Exit only, cover plate | |
| 02 | Exit only, dummy trim | |
| 03 | Key retracts latchbolt | |
| 05 | Key controls thumb piece | |
| 15 | Thumb piece always active | |
| Device | es with 2000C Series Trim are the same price) | |

Pull Trim



2115 × 1715A Lever/Knob Trim: 2101 × 4901 2,956.00 3,015.00 Exit only, cover plate 2,361.00 2,709.00 2102 × 4902A Exit only, dummy trim 2,872.00 3,220.00 3,467.00 3,467.00 2103 × 4903A or 4903X Key retracts latchbolt 08 Key controls lever/knob 2108 × 4908A Key controls lever 2108 × V4908A 3,064.00 3,412.00 3,659.00 3,659.00 14 Lever/knob always active 2114 × 4914A 2110 × 4908A 2110 × V4908A 10* Inside key controls lever/knob 2,869.00 4,265.00 4,390.00 4,390.00 Outside key retracts latchbolt 10VI* 2110VI x 4908A or V4908A 3,886.00 3,872.00 4,775.00 4,775.00 Inside key controls lever/knob, Includes Visual Lock/Unlock Indicator, Outside key retracts latchbolt Lock/Unlock Indicator, Outside key retracts latchbolt

Device × Trim

2101 × 1701

2102 × 1702A

2103 × 1703A 2105 × 1705A

Lever/Knob Trim

| Devic | Device Only: | | | | | | | |
|----------|--|--|--------------|--------------------|-------------------------|-----------|--|--|
| | 01, 02, 03, 05, 08, 14, 15 | 21, 2101, 2102, 2103*, 2105, 2108, 2114, 2115 | 2,103.00 | 2,451.00 | 2,698.00 | 2,698.00 | | |
| *2103 De | evice × Cylinder Only Application includes Cylinder Attachme | ent Kit "CA-03" | | | | | | |
| | e cylinder 10 & 10VI function is handed. Rim cylinder or thum er function | b-turn sold separately. Hex or cylir | nder dogging | not recommended fo | or use with 2110 & 2110 | VI double | | |

| Elec. Device Electric Lock/Unlock Outside Trim E2103 × 4908A E2103 × V4908A 3,985.00 4,333.00 4,580.00 4,580.00 | e y in tere | | | | |
|---|-------------|-------------|--|----------|----------|
| | - F | EIEL DEVILE | | 4,580.00 | 4,580.00 |

FL

Add 261.00

Options

8

| Prefix | (add to device #) | Add |
|--------|---|----------|
| С | Pre-Terminated Quick Connect Plug ** | N/C |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 |
| E | Electric Lock/Unlock with Lock/Unlock monitoring (see above) | - |
| ELR | Electric Latch Retraction: REQUIRES ELR150 Series Power Supply | 1,199.00 |
| HC | Hurricane Code Device | 60.00 |
| LDS | Latchbolt Monitoring Double Switch | 406.00 |
| LS | Latchbolt Monitoring Switch | 333.00 |
| MLR | Motorized Latch Retraction | 1,414.00 |
| Q | Wireless Access Management System | 728.00 |
| TDS | Touchbar Monitoring Double Switch | 419.00 |
| TS | Touchbar Monitoring Switch | 344.00 |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 |
| WTS | Weatherized Touchbar Monitoring Switch | 484.00 |
| NOTES: | UltraShield" Antimicrobial finish coating option available to Precision Exit Devices & Trims. - 630AM list price for Exit Devices Add 94.00 - 630AM list price for Trims Add 39.00 | |

| Suffix | (add to device #) | Add |
|-------------------------------|--|----------|
| ALK | Exit Alarm: battery operated kit (9V battery included) | 862.00 |
| ALW | Exit Alarm: remote power kit (12 or 24 VDC) | 862.00 |
| BRL | Braille Touchbar | 148.00 |
| CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included | 132.00 |
| DS | Door Position Monitoring Switch | 183.00 |
| FC | Factory Cut | 24.00 |
| LD | Less Dogging | - |
| SEC | Security Screws | 77.00 |
| SNB | Sex Nut and Bolt (6 req'd) without Trim | 118.00 |
| SNB | Sex Nut and Bolt (2 req'd) with Trim | 40.00 |
| WALW | Weatherized Exit Alarm: Remote power (24 VDC) | 1,118.00 |
| • Devices f | or Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A). | |
| • Devices a | are priced less cylinders. If cylinder is required please see cylinders. | |
| Devices f | or 3'-0" door are furnished standard. | |

Devices for 2'-6" & 4'-0" doors are available at no extra charge.

** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.



| Outs | ide Function | Device × Trim | 628 | 606, 612 613, 622, 630, 690 | 626W Weatherized | 605, 625 |
|-----------------------------|--|--|----------|--------------------------------|----------------------|-------------|
| Pull T | rim: | • | | | | |
| 01 | Exit only, cover plate | 2201 × 1701 | 3,224.00 | 3,589.00 | 3,873.00 | 3,873 |
| 02 | Exit only, dummy trim | 2202 × 1702A | 3.500.00 | 0.005.00 | (1/000 | (1/0 |
| 03 | Key retracts latchbolt | 2203 × 1703A | 3,300.00 | 3,865.00 | 4,149.00 | 4,149. |
| 05 | Key controls thumb piece | 2205 × 1705A | 0.007.00 | (05000 | (226.00 | 1000 |
| 15 | Thumb piece always active | 2215 × 1715A | 3,687.00 | 4,052.00 | 4,336.00 | 4,336.0 |
| Device | s with 2000C Series Trim are the same price) | | | | | |
| Device | s with 2000C Series Trim are the same price) | | 3283.00 | 364800 | 393200 | 3932 |
| Device Level | s with 2000C Series Trim are the same price) r/Knob Trim: Exit only, cover plate | 2201×4901 | 3,283.00 | 3,648.00 | 3,932.00 | 3,932 |
| Device Lever 01 02 | s with 2000C Series Trim are the same price) r/Knob Trim: Exit only, cover plate Exit only, dummy trim | 2201 × 4901 2202 × 4902A | 3,283.00 | 3,648.00 4,159.00 | 3,932.00 4,443.00 | 3,932 |
| Lever 01 02 03 | s with 2000C Series Trim are the same price) r/Knob Trim: Exit only, cover plate | 2201×4901 | | | | |
| Device Lever 01 02 | s with 2000C Series Trim are the same price) r/Knob Trim: Exit only, cover plate Exit only, dummy trim Key retracts latchbolt | 2201 × 4901 2202 × 4902A 2203 × 4903A or 4903X | | | | - |

Lever/Knob Trim

Pull Trim

e

| FL | Fire Rated Hardware Specify prefix "FL" (e.g. FL2103) Dogging option NOT available Add 261.00 | | | | | |
|---------|---|--|------------|-----------------|----------|----------|
| Е | Elec. Device (see above) | E2203×4908A | 5,251.00 | 5,616.00 | 5,900.00 | 6,092.00 |
| *2203 [| Device × Cylinder Only Application includes Cylinder Attachn | nent Kit "CA-03" | | | | |
| | 01, 02, 03, 05, 08, 14, 15 | 22, 2201, 2202, 2203*, 2205, 2208, 2214, 2215 | 3,025.00 | 3,390.00 | 3,674.00 | 3,674.00 |
| Devid | ce Only: | | | | | |
| 14 | Lever/knob always active | 2214 × 4914A | | 1 | 1 | 1 |
| 08 | Key controls lever | 2208 × V4908A | 3.986.00 | 386.00 4.351.00 | 4.635.00 | 4,635.00 |
| 08 | Key controls lever/knob | 2208×4908A | | | | |
| 03 | Key retracts latchbolt | 2203 × 4903A or 4903X | 0,7 0 1.00 | 1,100.00 | 1,110.00 | 1,110.00 |

Options

| Prefix | (add to device #) | Add | Suffix | (add to device #) |
|--------|--|----------|--------|--|
| С | Pre-Terminated Quick Connect Plug ** | N/C | ALK | Exit Alarm: battery operated kit (9V battery included) |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 | ALW | Exit Alarm: remote power kit (12 or 24 VDC) |
| ELR | Electric Latch Retraction: REQUIRES ELR150 Series Power Supply | 1,199.00 | BRL | Braille Touchbar |
| HC | Hurricane Code Device (SNB required - see notes below) | 60.00 | CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included |
| LS | Latchbolt Monitoring Switch | 333.00 | DS | Door Position Monitoring Switch |
| MLR | Motorized Latch Retraction | 1,414.00 | FC | Factory Cut |
| Q | Wireless Access Management System | 728.00 | LBR | Less Bottom Rod (no extra charge) |
| TDS | Touchbar Monitoring Double Switch | 419.00 | LD | Less Dogging |
| TS | Touchbar Monitoring Switch | 344.00 | SEC | Security Screws |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 | SNB | SNB Sex Nut and Bolt (10 req'd - not including rod guides without Trim |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 | SNB | SNB Sex Nut and Bolt (8 req'd - not including rod guides |

NOTES: • UltraShield[®] Antimicrobial finish coating option available to Precision Exit D evices & Trims. - 630AM list price for Exit Devices Add 94.00

- 630AM list price for Trims Add 39.00
- Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A).
- · HC 2200 only Sex Nut and Bolts SNB are required for Top and Bottom Latches
- · Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- · Devices for 2'-6" & 4'-0" doors are available at no extra charge.
- \cdot Top Rod for 7'-0" high door is furnished standard.
- Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**.
- (See catalog for fire rating).

| ALW | Exit Alarm: remote power kit (12 or 24 VDC) | 862.00 |
|-----|--|--------|
| BRL | Braille Touchbar | 148.00 |
| CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included | 132.00 |
| DS | Door Position Monitoring Switch | 183.00 |
| FC | Factory Cut | 24.00 |
| LBR | Less Bottom Rod (no extra charge) | _ |
| LD | Less Dogging | _ |
| SEC | Security Screws | 77.00 |
| SNB | SNB Sex Nut and Bolt (10 req'd - not including rod guides) without Trim | 197.00 |
| SNB | SNB Sex Nut and Bolt (8 req'd - not including rod guides) LBR Device without Trim | 157.00 |
| SNB | SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim | 118.00 |
| SNB | SNB Sex Nut and Bolt (4 reg'd - not including rod guides) LBR Device with Trim | 79.00 |
| TMB | Transom Bracket | 95.00 |
| | | |

** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.



Add 862.00

2300 – Precision Mortise - Handed, Wide Stile





Pull Trim

1

| Outs | ide Function | Device × Trim | 628 | 606, 612 613, 622, 630, 690 | 626W Weatherized | 605, 625 |
|---------|--|-------------------------|----------|--------------------------------|---------------------|-------------|
| Pull 1 | Trim: | ļ | | | J | |
| 01 | Exit only, cover plate | 2301 × 1701 | 3,172.00 | 3,540.00 | 3,877.00 | 3,877.00 |
| 02 | Exit only, dummy trim | 2302 × 1702A | 2//000 | 2.010.00 | 4,167.00 | (10700 |
| 03 | Key retracts latchbolt | 2303 × 1703A | 3,448.00 | 3,816.00 | | 4,167.00 |
| 05 | Key controls thumb piece (A grip only) | 2305 × M1705A | 0.005.00 | 4,003.00 | 4,358.00 | 1050.00 |
| 15 | Thumb piece always active (A grip only) | 2315 × M1715A | 3,635.00 | | | 4,358.00 |
| Note: E | es with M2000C Series Trim are the same price) 3 & C grip pull handles are not available in the 05 and 15 r/Knob Trim: | functions) | | | | |
| 01 | Exit only, cover plate | 2301×4901 | 3,231.00 | 3,599.00 | 3,872.00 | 3,931.00 |
| 02 | Exit only, dummy trim | 2302×4902A | 07/000 | (10.00 | (000 00 | |
| 03 | Key retracts latchbolt | 2303 × M4903A or M4903X | 3,742.00 | 4,110.00 | 4,383.00 | 4,575.00 |
| 08 | Key controls lever/knob | 2308 × M4908A | | | | |
| 08 | Key controls lever | 2308 × VM4908A | 3,934.00 | 4,302.00 | 4,575.00 | 4,767.00 |
| | | 1 | 1 | | | 1 |
| 14 | Lever/knob always active | 2314 × M4914A | | | | |

Lever/Knob Trim

2310 × M4908A 2310 × VM4908A 10 Inside key controls lever/knob Outside key retracts latchbolt 4,459.00 4,830.00 5,147.00 5,339.00 10 2310 × M4914A Inside key controls lever/knob Device Only: 01, 02, 03, 05, 08, 14, 15 2,973.00 3,341.00 3,614.00 3,614.00 2305, 2308, 2314, 2315 *2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

| Е | Elec. Device Electric Lock/Unlock Outside Trim | E2303 × M4908A E2303 × VM4908A | 4,938.00 | 5,306.00 | 5,579.00 | 5,771.00 |
|----|--|-----------------------------------|----------|----------|----------|-----------|
| FL | Fire Rated Hardware Specify prefix "FL" (e.g. FL23 | 03) Dogging option NOT availat | ole | | μ | dd 261.00 |

Options

10

| Prefix | (add to device #) | Add |
|----------|--|----------|
| С | Pre-Terminated Quick Connect Plug ** (available to one electrical feature for the 2300 panic exit device) | N/C |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 |
| E | Electric Lock/Unlock with Lock/Unlock monitoring (see above) | _ |
| ELR | Electric Latch Retraction: REQUIRES ELR150 Series Power Supply | 1,199.00 |
| HC | Hurricane Code Device | 60.00 |
| LS | Latchbolt Monitoring Switch | 333.00 |
| MLR | Motorized Latch Retraction | 1,414.00 |
| TDS | Touchbar Monitoring Double Switch | 419.00 |
| TS | Touchbar Monitoring Switch | 344.00 |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 |
| NOTES: · | UltraShield" Antimicrobial finish coating option available to Precision Exit Devices & Trims. | |

COOM list price for Evit Devices Add O

- 630AM list price for Exit Devices Add 94.00 - 630AM list price for Trims Add 39.00

Devices are priced less cylinders. If cylinder is required please see cylinders.

• Devices for 3'-0" door are furnished standard.

| Suffix | (add to device #) | Add |
|--------|--|----------|
| ALK | Exit Alarm: battery operated kit (9V battery included) | 862.00 |
| | | |
| ALW | Exit Alarm: remote power kit (12 or 24 VDC) | 862.00 |
| BRL | Braille Touchbar | 148.00 |
| CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included | 132.00 |
| DS | Door Position Monitoring Switch | 183.00 |
| FC | Factory Cut | 24.00 |
| LD | Less Dogging | _ |
| SEC | Security Screws | 77.00 |
| SNB | Sex Nut and Bolt (6 req'd) without Trim | 118.00 |
| SNB | Sex Nut and Bolt (2 req'd) with Trim | 40.00 |
| WALW | Weatherized Exit Alarm: Remote power (24 VDC) | 1,118.00 |

• For mortise lock body ONLY.


• For 2'-6" & 4'-0" doors are available at **no extra charge.**

** See Hinges & Door Accessories price book for Wire Harness product.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.



2400 – Precision Rim - Non Handed, Narrow Stile



FL Fire Rated Hardware Specify prefix "FL" (e.g. FL2403) Dogging option NOT available

Add 261.00

Options

| Prefix | (add to device #) | Add |
|--------|--|-------------|
| С | Pre-Terminated Quick Connect Plug ** | N/C |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 |
| ELR | Electric Latch Retraction: REQUIRES ELR150 Series Power Supply | 1,199.00 |
| MLR | Motorized Latch Retraction | 1,414.00 |
| TDS | Touchbar Monitoring Double Switch | 419.00 |
| TS | Touchbar Monitoring Switch | 344.00 |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 |
| NOTES: | • UltraShield [™] Antimicrobial finish coating option available to Precision Exit Devices & Trims. | |
| | - 630AM list price for Exit Devices Add 94.00 - 630AM list price for Trims Add 39.00 | |
| | Devices are priced less cylinders. If cylinder is required please see cylinders | S. |
| | • 2403 × 2903A Device uses Rim Cylinder, 2408 × 2908A Device uses Mortis | e Cylinder. |
| | Devices for 3'-0" door are furnished standard. | |

Devices for 4'-0" doors are available at no extra charge

Suffix (add to device #) Add ALK Exit Alarm: battery operated kit (9V battery included) 862.00 ALW Exit Alarm: remote power kit (12 or 24 VDC) 862.00 BRL Braille Touchbar 148.00 CD Cylinder Dogging: 1-1/4" Mortise Cylinder not included 132.00 DS Door Position Monitoring Switch 183.00 FC Factory Cut 24.00 LD Less Dogging SEC Security Screws 77.00 SNB SNB Sex Nut and Bolt (4 req'd) without Trim SNB SNB Sex Nut and Bolt (2 req'd) with Trim 40.00 Weatherized Exit Alarm: Remote power (24 VDC) 1,118.00 WALW

** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES. When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

| C | 3) | | |
|---|----|---|--|
| V | 7 | ١ | |
| | | | |

Pull Trim


C



Lever/Knob Trim



2600 – Precision Concealed Vertical Rod -Non Handed, Narrow Stile



| e | |
|---|--|

Pull Trim

| Outs | ide Function | Device × Trim | 628 | 606, 612 613, 622, 630, 690 | 626W Weatherized | 605, 625 |
|------|---|----------------------------------|----------|--------------------------------|---------------------|-------------|
| Pull | Trim: | · | | | | |
| 01 | Exit only, cover plate | 2601×2901 | 3,688.00 | 4,073.00 | 4,362.00 | 4,426.00 |
| 02 | Exit only, dummy trim | 2602×2902A | 3.964.00 | 4.349.00 | 4,638.00 | 4.716.00 |
| 03 | Key retracts latchbolt | 2603×2903A | 3,904.00 | 4,349.00 | | 4,7 10.00 |
| 08 | Key controls lever | 2608×2908A | | | | |
| 14 | Lever always active | 2614 × 2914A | 4,450.00 | 4,835.00 | 5,124.00 | 5,316.00 |
| Devi | ce Only: | | | | | 1 |
| | 01, 02, 03, 08, 14 | 2601, 2602, 2603*, 2608, 2614 | 3,489.00 | 3,874.00 | 4,163.00 | 4,163.00 |
| 2603 | Device × Cylinder Only Application includes C | ylinder Attachment Kit "NCA-03" | | | | |

FL Fire Rated Hardware Specify prefix "FL" (e.g. FL2603) Dogging option NOT available

Add 261.00

Options

| Prefix | (add to device #) | Add | Suffix | (add to device #) |
|--------|---|-------------|--------------------------|---|
| С | Pre-Terminated Quick Connect Plug ** | N/C | ALK | Exit Alarm: battery op |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 | ALW | Exit Alarm: remote p |
| ELR | Electric Latch Retraction: REQUIRES ELRI50 Series Power Supply | 1,199.00 | BRL | Braille Touchbar |
| MLR | Motorized Latch Retraction | 1,414.00 | CD | Cylinder Dogging: 1-1/ |
| TDS | Touchbar Monitoring Double Switch | 419.00 | DS | Door Position Monito |
| TS | Touchbar Monitoring Switch | 344.00 | FC | Factory Cut |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 | LBR | Less Bottom Rod (no |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 | LD | Less Dogging |
| | UltraShield™ Antimicrobial finish coating option available to Precision Exit | | SEC | Security Screws |
| | Devices & Trims. | | SNB | SNB Sex Nut and Boli |
| | - 630AM list price for Exit Devices Add 94.00 - 630AM list price for Trims Add 39.00 | | SNB | SNB Sex Nut and Bolt |
| | Devices are priced less cylinders. If cylinder is required please see cylinders | S. | WALW | Weatherized Exit Ala |
| | 2603 × 2903A Device uses Rim Cylinder, 2608 × 2908A Device uses Mortis Devices for 3'-0" door are furnished standard. Devices for 4'-0" doors are available at no extra charge . | e Cylinder. | • Top Rod f (See cata | or 6'-8" to 8'-0" high doo or 8'-0" to 10'-0" high doo alog for fire rating). |

Add ry operated kit (9V battery included) 862.00 ote power kit (12 or 24 VDC) 862.00 148.00 132.00 g: 1-1/4" Mortise Cylinder not included onitoring Switch 183.00 24.00 d (no extra charge) _ 77.00 l Bolt (4 reg'd) without Trim 79.00 Bolt (2 req'd) with Trim 40.00 : Alarm: Remote power (24 VDC) 1,118.00 h door is furnished standard.

Top Rod for 8'-0" to 10'-0" high door is available at **no extra charge**.

** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.



2700 – Precision Wood Door Concealed Vertical Rod -**Reversible, Wide Stile**

| Outs | ide Function | Device × Trim | 628 | 606, 612 613, 622, 630, 690 | 626W Weatherized | 605, 625 | |
|------------------|---|--|--|---|--|---|--|
| Pull 1 | írim: | | | | · | ÷ | |
| 01 | Exit only, cover plate | 2701 × 1701 | 3,941.00 | 4,325.00 | 4,631.00 | 4,695.00 | |
| 02 | Exit only, dummy trim | 2702 × 1702A | / 21700 | (60100 | / 00700 | 4,985.00 | |
| 03 | Key retracts latchbolt | 2703 × 1703A | 4,217.00 | 4,001.00 | 4,907.00 | 4,900.00 | |
| 05 | Key controls thumb piece | 2705 × 1705A | | | | | |
| 15 | Thumb piece always active | 2715 × 1715A | 4,404.00 | 4,788.00 | 5,094.00 | 5,176.00 | |
| Lever/Knob Trim: | | | | | | | |
| 01 | Exit only, cover plate | 2701×4901 | 4,000.00 | 4,384.00 | 4,690.00 | 4,749.00 | |
| 02 | Exit only, dummy trim | 2702×4902A | (51100 | | E 20100 | 5,393.00 | |
| 03 | Key retracts latchbolt | 2703 × 4903A or 4903X | 4,011.00 | 4,090.00 | 0,201.00 | 0,393.00 | |
| 08 | Key controls lever/knob | 2708×4908A | | 0 5,087.00 | 5,393.00 | 5,585.00 | |
| 08 | Key controls lever | 2708 × V4908A | | | | | |
| 14 | Lever/knob always active | 2714 × 4914A | 4,703.00 | | | | |
| Devid | ce Only: | | | | | | |
| | 01, 02, 05, 08, 14, 15 For best possible structural support on wood door applications use of Precision outside trim is recommended | 2701,2702,2705, 2708,2714,2715 | 3,742.00 | 4,126.00 | 4,432.00 | 4,432.00 | |
| | 01 02 03 05 15 15 01 02 03 08 08 08 14 Devic | 02 Exit only, dummy trim 03 Key retracts latchbolt 05 Key controls thumb piece 15 Thumb piece always active 16 Thumb piece always active 01 Exit only, cover plate 02 Exit only, cover plate 03 Key retracts latchbolt 03 Key retracts latchbolt 08 Key controls lever/knob 08 Key controls lever 14 Lever/knob always active 01, 02, 05, 08, 14, 15 For best possible structural support on wood door applications use of Precision outside trim is recommended | 01 Exit only, cover plate 2701 × 1701 02 Exit only, dummy trim 2702 × 1702A 03 Key retracts latchbolt 2703 × 1703A 05 Key controls thumb piece 2705 × 1705A 15 Thumb piece always active 2715 × 1715A 01 Exit only, cover plate 2702 × 4901 02 Exit only, dummy trim 2702 × 4902A 03 Key retracts latchbolt 2703 × 4903A or 4903X 02 Exit only, dummy trim 2708 × 4908A 03 Key controls lever/knob 2708 × 4908A 08 Key controls lever 2708 × V4908A 14 Lever/knob always active 2714 × 4914A Device Only: 01, 02, 05, 08, 14, 15 2701, 2702, 2705, 2708, 2714, 2715 01, 02, 05, 08, 14, 15 2708, 2714, 2715 For best possible structural support on wood door applications use of Precision outside trim is recommended 2708, 2714, 2715 | 01 Exit only, cover plate 2701 × 1701 3,941.00 02 Exit only, dummy trim 2702 × 1702A 4,217.00 03 Key retracts latchoolt 2703 × 1703A 4,217.00 05 Key controls thumb piece 2705 × 1705A 4,404.00 15 Thumb piece always active 2715 × 1715A 4,404.00 02 Exit only, cover plate 2701 × 4901 4,000.00 02 Exit only, dummy trim 2702 × 4902A 4,511.00 03 Key retracts latchoolt 2703 × 4903A or 4903X 4,511.00 03 Key controls lever/knob 2708 × 4908A 4,511.00 04 Lever/knob always active 2714 × 4914A 4,703.00 05 Key controls lever 2708 × 705, 2705, 2705, 2708, 2714, 2715 3,742.00 05 Precision outside trim is recommended 2701, 2702, 2705, 2705, 2708, 2714, 2715 3,742.00 | 01 Exit only, cover plate 2701 × 1701 3,94100 4,325.00 02 Exit only, dummy trim 2702 × 1702A 4,217.00 4,60100 03 Key retracts latchbolt 2703 × 1703A 4,217.00 4,60100 05 Key controls thumb piece 2705 × 1705A 4,404.00 4,788.00 15 Thumb piece always active 2715 × 1715A 4,404.00 4,788.00 01 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 02 Exit only, dummy trim 2702 × 4902A 4,511.00 4,895.00 03 Key retracts latchbolt 2703 × 4903A or 4903X 4,511.00 4,895.00 03 Key controls lever/knob 2708 × 4908A 4,703.00 5,087.00 08 Key controls lever 2714 × 4914A 4,703.00 5,087.00 14 Lever/knob always active 2714 × 4914A 4,703.00 5,087.00 Coll 2703, 2702, 2705, 2708, 2714, 2715 01, 02, 05, 08, 14, 15 For best possible structural support on wood door applications use of Precision outside trim is recommended 2701, 2702, 2705, 2705, 2708, 2714, 2715 3,742.00 4,126.00 <td>01 Exit only, cover plate 2701 × 1701 3,94100 4,32500 4,63100 02 Exit only, dummy trim 2702 × 1702A 4,217.00 4,60100 4,907.00 03 Key retracts latchoolt 2703 × 1703A 4,217.00 4,60100 4,907.00 05 Key controls thumb piece 2705 × 1705A 4,404.00 4,788.00 5,094.00 15 Thumb piece always active 2715 × 1715A 4,404.00 4,384.00 4,690.00 01 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 4,690.00 02 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 4,690.00 02 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 4,690.00 03 Key retracts latchoolt 2703 × 4903A or 4903X 4,511.00 4,895.00 5201.00 03 Key controls lever/knob 2708 × 4908A 4,703.00 5,087.00 5,393.00 14 Lever/knob always active 2701,2702,2705, 2708,2714,2715 3,742.00 4,126.00</td> | 01 Exit only, cover plate 2701 × 1701 3,94100 4,32500 4,63100 02 Exit only, dummy trim 2702 × 1702A 4,217.00 4,60100 4,907.00 03 Key retracts latchoolt 2703 × 1703A 4,217.00 4,60100 4,907.00 05 Key controls thumb piece 2705 × 1705A 4,404.00 4,788.00 5,094.00 15 Thumb piece always active 2715 × 1715A 4,404.00 4,384.00 4,690.00 01 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 4,690.00 02 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 4,690.00 02 Exit only, cover plate 2701 × 4901 4,000.00 4,384.00 4,690.00 03 Key retracts latchoolt 2703 × 4903A or 4903X 4,511.00 4,895.00 5201.00 03 Key controls lever/knob 2708 × 4908A 4,703.00 5,087.00 5,393.00 14 Lever/knob always active 2701,2702,2705, 2708,2714,2715 3,742.00 4,126.00 | |

Fire Rated Hardware Specify prefix "FL" (e.g. FL2703) Dogging option NOT available

Add 261.00

13

Options

| Prefix | (add to device #) | Add |
|--------|--|----------|
| С | Pre-Terminated Quick Connect Plug ** | N/C |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 |
| ELR | Electric Latch Retraction: REQUIRES ELR150 Series Power Supply | 1,199.00 |
| LS | Latchbolt Monitoring Switch | 333.00 |
| MLR | Motorized Latch Retraction | 1,414.00 |
| Q | Wireless Access Management System | 728.00 |
| TDS | Touchbar Monitoring Double Switch | 419.00 |
| TS | Touchbar Monitoring Switch | 344.00 |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 |
| NOTES: | UltraShield[™] Antimicrobial finish coating option available to Precision Exit Devices & Trims. | |
| | - 630AM list price for Exit Devices Add 94.00 - 630AM list price for Trims Add 39.00 | |
| | \cdot Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A]. | |
| | Devices are priced less cylinders. If cylinder is required please see cylinders | S. |

• Devices for 3'-0" door are furnished standard.

FL

· Devices for 2'-6" & 4'-0" doors are available at no extra charge.

Suffix (add to device #) Add ALK Exit Alarm: battery operated kit (9V battery included) 862.00 ALW Exit Alarm: remote power kit (12 or 24 VDC) 862.00 BRL 148.00 Braille Touchbar CD Cylinder Dogging: 1-1/4" Mortise Cylinder not included 132.00 DS Door Position Monitoring Switch 183.00 24.00 FC Factory Cut LBR Less Bottom Rod (no extra charge) -LD Less Dogging _ SEC Security Screws 77.00 SNB Sex Nut and Bolt (6 req'd) without Trim 118.00 SNB Sex Nut and Bolt (2 reg'd) with Trim 40.00 WALW Weatherized Exit Alarm: Remote power (24 VDC) • Top Rod for 6'-8" to 8'-0" high door is furnished standard.

• Top Rod for 8'-1" to 10'-0" high door is available at no extra charge.

(See catalog for fire rating)

** See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

2800 – Precision Concealed Vertical Rod -**Reversible**, Wide Stile

Outside Function

605,

625



Pull Trim



FL

Lever/Knob Trim



| Pull 1 | ſrim: | | | | | |
|--------|---|--|-----------|-----------|----------|----------|
| 01 | Exit only, cover plate | 2801×1701 | 3,488.00 | 3,867.00 | 4,156.00 | 3,957.00 |
| 02 | Exit only, dummy trim | 2802 × C1702A | 3,764.00 | 4,143.00 | 4,432.00 | 3,957.00 |
| 03 | Key retracts latchbolt | 2803 × C1703A | 3,/ 04.00 | 4,143.00 | 4,432.00 | 3,957.00 |
| 05 | Key controls thumb piece | 2805 × C1705A | | | | |
| 15 | Thumb piece always active | 2815 × C1715A | 3,951.00 | 4,330.00 | 4,619.00 | 3,957.00 |
| Leve | r/Knob Trim: | | | | | |
| 01 | Exit only, cover plate | 2801×4901 | 3,547.00 | 3,926.00 | 4,215.00 | 3,957.00 |
| 02 | Exit only, dummy trim | 2802×4902A | 105000 | (/ 27.00 | (700.00 | 0.057.00 |
| 03 | Key retracts latchbolt | 2803 × 4903A or 4903X | 4,058.00 | 4,437.00 | 4,726.00 | 3,957.00 |
| 08 | Key controls lever/knob | 2808×4908A | | | | |
| 08 | Key controls lever | 2808 × V4908A | 4,250.00 | 4,629.00 | 4,918.00 | 3,957.00 |
| 14 | Lever/knob always active | 2814 × 4914A | | | | |
| Cast | Plate: | | | | | |
| 03 | Key Retracts Latch Bolt (pull by others) | 2803×C03 | 3,596.00 | 3,975.00 | 4,264.00 | 4,264.00 |
| Devi | ce Only: | | | | | |
| | 01, 02, 03, 05, 08, 14, 15 | 2801,2802,2803*, 2805, 2808, 2814, 2810 | 3,289.00 | 3,668.00 | 3,957.00 | 3,957.00 |
| 2803 | Device x Cylinder Only Application requires CO3 Trim, | see page 22 | | | | |
| E | Elec. Device Flectric Lock/Unlock Outside Trim | E2803 x 4908A E2803 x V4908A | 5,504.00 | 5,883.00 | 6,172.00 | 6,172.00 |

Device × Trim

Fire Rated Hardware Specify prefix "FL" (e.g. FL2803) Dogging option NOT available

Add 261.00

Options

14

| Prefix | (add to device #) | Add |
|--------|---|----------|
| С | Pre-Terminated Quick Connect Plug ** | N/C |
| DE | Delayed Egress: REQUIRES PS161-6 Power Supply | 2,441.00 |
| ELR | Electric Latch Retraction: REQUIRES ELR150 Series Power Supply | 1,199.00 |
| HC | Hurricane Code Device | 60.00 |
| LS | Latchbolt Monitoring Switch | 333.00 |
| MLR | Motorized Latch Retraction | 1,414.00 |
| TDS | Touchbar Monitoring Double Switch | 419.00 |
| TS | Touchbar Monitoring Switch | 344.00 |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 |
| | UltraShield [™] Antimicrobial finish coating option available to Precision Exit Dev & Trims. - 630AM list price for Exit Devices Add 94.00 | rices |

Add 39.00 - 630AM list price for Trims

Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A].

Devices are priced less cylinders. If cylinder is required please see cylinders.

• Devices for 3'-0" door are furnished standard.

Devices for 2'-6" & 4'-0" doors are available at **no extra charge**.

| Suffix | (add to device #) | Add |
|-------------|--|----------|
| ALK | Exit Alarm: battery operated kit (9V battery included) | 862.00 |
| ALW | Exit Alarm: remote power kit (12 or 24 VDC) | 862.00 |
| BRL | Braille Touchbar | 148.00 |
| CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included | 132.00 |
| DS | Door Position Monitoring Switch | 183.00 |
| FC | Factory Cut | 24.00 |
| LBR | Less Bottom Rod (no extra charge) | - |
| LD | Less Dogging | _ |
| SEC | Security Screws | 77.00 |
| SNB | SNB Sex Nut and Bolt (6 req'd) without Trim | 118.00 |
| SNB | SNB Sex Nut and Bolt (2 req'd) with Trim | 40.00 |
| WALW | Weatherized Exit Alarm: remote power (24 VDC) | 1,118.00 |
| • Top Rod f | or 6'-8" to 8'-0" high door is furnished standard. | |

606, 612 613,

622, 630, 690

628

626W

Weatherized

• Top Rod for 8'-1" to 10'-0" high door is available at no extra charge.

(See catalog for fire rating).

** See Stanley Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

2900/4900 Series Trims

\$173 Per Trim (One Lever)

UltraShield

| Lever Styles | List Price Add | Lever Styles | List Price Add |
|--------------|----------------|--------------------------------|----------------|
| 2 | 188.00 | 65 | 188.00 |
| 7 | 188.00 | 69 | 188.00 |
| | 188.00 | 75 | 188.00 |
| 52 | 188.00 | 79 | 188.00 |
| 50 | 188.00 | 89 | 188.00 |
| 62 | 188.00 | 92 Lever option also available | |





Plate



Pull Trim

| Outsi | ide Function | Device × Trim | 689, 695 | 689, 695 Trim Only |
|--------|---|----------------------------------|----------|--------------------|
| Plate | : | · · · · · | ! | |
| 01 | Exit only, cover plate | 5101 × 501 | 883.00 | 91.00 |
| Pull T | rim: | | | |
| 02 | Exit only, dummy trim | 5102 × 602 | 912.00 | 120.00 |
| 03 | Key retracts latchbolt | 5103 × 603 | 912.00 | 120.00 |
| 02 | Exit only, dummy trim | 5102 × 702A | 997.00 | 205.00 |
| 03 | Key retracts latchbolt | 5103 × 703A | 997.00 | 205.00 |
| Lever | r Trim: | | | |
| 08 | Key controls lever | 5108 × 808A | 1,243.00 | 451.00 |
| 14 | Lever always active | 5114 × 814A | 1,243.00 | 431.00 |
| Devic | ce Only: | | | |
| | 01, 02, 03, 08, 14 | 5101, 5102, 5103*, 5108, 5114 | 792.00 | - |
| 5103 D | evice × Cylinder Only Application includes Cylinder | Attachment Kit "CA-03" | | |

FL Fire Rated Hardware Specify prefix "FL" (e.g. FL5103) Dogging option NOT available Add 261.00

Add 862.00 862.00 132.00

76.00

1,118.00

Lever Trim

Options

| Prefix | (add to device #) | Add | Suffix | (add to device #) |
|--------|--|--------|--------|--|
| TDS | Touchbar Monitoring Double Switch | 419.00 | ALK | Exit Alarm: battery operated kit (9V battery included) |
| TS | Touchbar Monitoring Switch | 344.00 | ALW | Exit Alarm: remote power kit (12 or 24 VDC) |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 | CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 | LD | Less Dogging |
| NOTES: | • Devices are priced less cylinders. If cylinder is required please see cylind | ers. | SNB | SNB Sex Nut and Bolt (4 req'd) without Trim |
| | Devices for 3'-0" door are furnished standard. | | SNB | SNB Sex Nut and Bolt (2 req'd) with Trim |
| | Weatherized Exit Alarm: remote power (24 VDC) | | WALW | Weatherized Exit Alarm: remote power (12 or 24 VDC) |

• Devices for 4'-0" doors are available at **no extra change**.

 \cdot 603 and 703 Trims use a Rim Cylinder, 808A Trims use a Mortise Cylinder.

· Factory cutting of custom sixes for Precision series exit devices not available.

SPLIT FINISHES. When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.







3

| Pull | Trim |
|------|------|
| | |
| 0 | 2 |



| Outsi | de Function | Device × Trim | 689,695 | 689, 695 Trim On | | |
|--------|------------------------|----------------------------------|----------|------------------|--|--|
| Plate | late: | | | | | |
| 01 | Exit only, cover plate | 5201×501 | 1,455.00 | 91.00 | | |
| Pull T | rim: | | 1 | | | |
| 02 | Exit only, dummy trim | 5202×602 | 1,484,00 | 120.00 | | |
| 03 | Key retracts latchbolt | 5203×603 | 1,404.00 | 120.00 | | |
| 02 | Exit only, dummy trim | 5202×702A | 1.569.00 | 205.00 | | |
| 03 | Key retracts latchbolt | 5203×703A | 1,009.00 | 205.00 | | |
| Lever | Trim: | | | · | | |
| 08 | Key controls lever | 5208 × 808A | 1.815.00 | 451.00 | | |
| 14 | Lever always active | 5214 × 814A | 1,010.00 | 431.00 | | |
| Devic | e Only: | | | | | |
| | 01, 02, 03, 08, 14 | 5201, 5202, 5203*, 5208, 5214 | 1,364.00 | - | | |

FL Fire Rated Hardware Specify prefix "FL" (e.g. FL5103) Dogging option NOT available

Add 261.00



Lever Trim

Options

| Prefix | (add to device #) | Add | Suffix | (add to device #) | Add |
|----------|---|--------|--------|---|----------|
| TDS | Touchbar Monitoring Double Switch | 419.00 | ALK | Exit Alarm: battery operated kit (9V battery included) | 862.00 |
| TS | Touchbar Monitoring Switch | 344.00 | ALW | Exit Alarm: remote power kit (12 or 24 VDC) | 862.00 |
| WTDS | WeatherizedTouchbar Monitoring Double Switch | 606.00 | CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included | 132.00 |
| WTS | Weatherized Touchbar MonitoringSwitch | 484.00 | LBR | Less Bottom Rod (no extra charge) | _ |
| NOTES: · | Devices are priced less cylinders. If cylinder is required please see cylinde | rs. | LD | Less Dogging | _ |
| | Devices for 3'-0" door are furnished standard. Devices for 4'-0" doors are available at no extra charge . | | SNB | SNB Sex Nut and Bolt (8 req'd - not including rod guides) without Trim | 157.00 |
| | 603 and 703 Trims use a Rim Cylinder, 808A Trims use a Mortise Cylinder Top Rod for 7'-0" high door is furnished standard. | ſ | SNB | SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device w/o Trim. | 118.00 |
| | Top Rod for 8'-0" to 10'-0" high door is available at no extra charge . (See catalog for fire rating). | | SNB | SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim | 118.00 |
| | Factory cutting of custom sixes for Precision series exit devices not available | ble. | SNB | SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim | 79.00 |
| | | | WALW | Weatherized Exit Alarm: remote power (24 VDC) | 1,118.00 |

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.



100 – Precision Rim - 100 Handed, R100 Reversible, Crossbar

Add 261.00





1

| Outsid | de Function | Device × Trim | 606, 612,613, 630 | 605,625 |
|---------|--|---|-------------------|----------|
| Pull Tr | rim: | | | |
| 01 | Exit only, cover plate | 101, R101 × 1701 | 2,643.00 | 2,958.00 |
| 02 | Exit only, dummy trim | 102, R102 × 1702A | 2010.00 | 22/200 |
| 03 | Key retracts latchbolt | 103, R103 × 1703A | 2,919.00 | 3,248.00 |
| 05 | Key controls thumb piece | 105, R105 × Y1705A | | |
| 15 | Thumb piece always active (Devices with 2000C Series Trim are the same price) | 115, R115 × Y1715A | 3,106.00 | 3,439.00 |
| Lever | /Knob Trim: | | | |
| 01 | Exit only, cover plate | 101, R101 × 4901 | 2,702.00 | 3,012.00 |
| 02 | Exit only, dummy trim | 102, R102 × 4902A | 2.012.0.0 | 2656.00 |
| 03 | Key retracts latchbolt | 103, R103 × 4903A | 3,213.00 | 3,656.00 |
| 08 | Key controls lever/knob | 108, R108 × Y4908A | | |
| 08 | Key controls lever | 108, R108 × VY4908A | 3,405.00 | 3,848.00 |
| 14 | Lever/knob always active | 114, R114 × Y4914A | | |
| Devic | e Only: | | | |
| | 01, 02, 03, 05, 08, 14, 15 | 101, R101, 102, R102, 103*, R103*, 105, R105, 108, R108, 114, R114, 115, R115 | 2,444.00 | 2,695.00 |

Pull Trim:



Lever/Knob Trim:

Options

18

| Suffix | (add to device #) | Add |
|--------|--|---------------|
| CBR | Reinforced Crossbar | 87.00 |
| FC | Factory Cut | 24.00 |
| LD | Less Dogging | - |
| SEC | Security Screws (crossbar arm screws are hex socket head) | 77.00 |
| SNB | SNB Sex Nut and Bolt (8 req'd) without Trim | 157.00 |
| SNB | SNB Sex Nut and Bolt (4 req'd) with Trim | 79.00 |
| NOTES: | UltraShield[™] Antimicrobial finish coating option available to Precision Exit Devi | ices & Trims. |

IOTES: • UltraShield[™] Antimicrobial finish coating option available to Precision Exit Devices & Trim - 630AM list price for Exit Devices Add 94.00

- 630AM list price for Trims Add 39.00

FL

Devices are priced less cylinders. If cylinder is required please see cylinders.

Devices for 3'-0" door are furnished standard.

· Devices for 4'-0" doors are available at no extra charge.

• Trim No. with prefix "Y" is for Precision Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

Fire Rated Hardware Specify prefix "FL" (e.g. FL203) Dogging option NOT available

200 – Precision Surface Vertical Rod - Non Handed, Crossbar



| | Uutsi | Ide Function | Device × Trim | 606, 612,613, 630 | 605,625 | | |
|---------|--------------|---|---------------------------------------|----------------------------------|----------|--|--|
| | Pull T | rim: | | | | | |
| - | 01 | Exit only, cover plate | 201 × 1701 | 3,600.00 | 3,940.00 | | |
| - | 02 | Exit only, dummy trim | 202×1702A | 0.076.00 | (00000 | | |
| - | 03 | Key retracts latchbolt | 203 × 1703A | 3,876.00 | 4,230.00 | | |
| - | 05 | Key controls thumb piece | 205 × Y1705A | | | | |
| _ | 15 | Thumb piece always active [Devices with 2000C Series Trim are the same price] | 215 × Y1715A | 4,063.00 | 4,421.00 | | |
| | Lever | r/Knob Trim: | | | | | |
| _ | 01 | Exit only, cover plate | 201 × 4901 | 3,659.00 | 3,994.00 | | |
| - | 02 | Exit only, dummy trim | 202×4902A | 4,170.00 | 4,638.00 | | |
| - | 03 | Key retracts latchbolt | 203 × 4903A | 4,17 0.00 | 4,030.00 | | |
| _ | 08 | Key controls lever/knob | 208 × Y4908A | | | | |
| - | 08 | Key controls lever | 208 × VY4908A | 4,362.00 | 4,830.00 | | |
| | 14 | Lever/knob always active | 214 × Y4914A | | | | |
| | Device Only: | | | | | | |
| - | | 01, 02, 03, 05, 08, 14, 15 | 201, 202, 203*, 205, 208, 214, 215 | 3,401.00 | 3,677.00 | | |
| | | evice × Cylinder Only Application includes Cylinder Attachment Kit ield [™] Antimicrobial finish coating option available Precision Exit De | | 90.00 Exit Devices, \$37.00 Trim | s | | |
| Trim: - | FL | Fire Rated Hardware Specify prefix "FL" (e.g. FL2O3) Do | ogging option NOT available | | | | |

Options

| Suffix | (add to device #) | Add |
|----------|---|--------|
| CBR | Reinforced Crossbar | 87.00 |
| FC | Factory Cut | 24.00 |
| LBR | Less Bottom Rod (no extra charge) | - |
| LD | Less Dogging | - |
| SEC | Security Screws (crossbar arm screws are hex socket head) | 77.00 |
| SNB | SNB Sex Nut and Bolt (12 req'd - not including rod guides) without Trim | 235.00 |
| SNB | SNB Sex Nut and Bolt (10 req'd - not including rod guides) LBR Device without Trim | 197.00 |
| SNB | SNB Sex Nut and Bolt (8 req'd - not including rod guides) with Trim | 157.00 |
| SNB | SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device with Trim | 118.00 |
| TMB | Transom Bracket | 95.00 |
| NOTES: · | UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims. | |

- 630AM list price for Exit Devices Add 94.00 - 630AM list price for Trims Add 39.00

Devices are priced less cylinders. If cylinder is required please see cylinders.

• Devices for 3'-0" door are furnished standard.

• Devices for 4'-0" doors are available at **no extra charge**.

• Top Rod for 7'-0" high door is furnished standard.

• Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. (See catalog for fire rating).

Trim No. with prefix "Y" is for Precision Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.



300 – Precision Mortise - Handed, Crossbar





| U | | | | |
|----|-------|------|----|--|
| Ρι | III - | Frir | m. | |



| Outs | ide Function | Device × Trim | 606, 612,613, 630 | 605,625 | |
|--------|---|--------------------------------------|-------------------|----------|--|
| Pull 1 | rim: | | | | |
| 01 | Exit only, cover plate | 301 × 1701 | 3,547.00 | 3,889.00 | |
| 02 | Exit only, dummy trim | 302×1702A | 2.022.00 | (170.00 | |
| 03 | Key retracts latchbolt | 303 × 1703A | 3,823.00 | 4,179.00 | |
| 05 | Key controls thumb piece | 305 × M1705A | | | |
| 15 | Thumb piece always active [Devices with M2000C Series Trim are the same price] | 315 × M1715A | 4,010.00 | 4,370.00 | |
| Leve | r/Knob Trim: | | | | |
| 01 | Exit only, cover plate | 301 × 4901 | 3,606.00 | 3,943.00 | |
| 02 | Exit only, dummy trim | 302×4902A | (117.0.0 | 4,587.00 | |
| 03 | Key retracts latchbolt | 303 × M4903A | 4,117.00 | | |
| 08 | Key controls lever/knob | 308×M4908A | | | |
| 08 | Key controls lever | 308 × VM4908A | (000 00 | | |
| 14 | Lever/knob always active | 314 × M4914A | 4,309.00 | 4,779.00 | |
| Devi | ce Only: | | | | |
| | 01, 02, 03, 05, 08, 14, 15 | 301, 302, 303, 305, 308, 314, 315 | 3,348.00 | 3,626.00 | |
| FL | Fire Rated Hardware Specify prefix "FL" (eg FL2O3) Dogging option NOT available Add 261.0 | | | | |

Lever/Knob Trim: UltraShield[™] Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$90.00 Exit Devices, \$37.00 Trims

Options

20

| Suffix | (add to device #) | Add |
|--------|---|--------|
| CBR | Reinforced Crossbar | 87.00 |
| FC | Factory Cut | 24.00 |
| LD | Less Dogging | - |
| SEC | Security Screws (crossbar arm screws are hex socket head) | 77.00 |
| SNB | SNB Sex Nut and Bolt (8 reg'd) without Trim | 157.00 |
| SNB | SNB Sex Nut and Bolt (4 req'd) with Trim | 79.00 |

NOTES: • UltraShield[™] Antimicrobial finish coating option available to Precision Exit Devices & Trims.

- 630AM list price for Exit Devices Add 94.00 Add 39.00

- 630AM list price for Trims •Devices are priced less cylinders. If cylinder is required please see cylinders.

 \cdot Devices for 3'-0" door are furnished standard.

• Devices for 4'-0" doors are available at no extra charge.

• For mortise lock body ONLY.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

7R0 – Arm-A-Dor[®] – Security Exit Hardware



Complete Product Assemblies

| Product Number | Description | Alarm | Fits Door Widths | Fits Jambs Up To | US28/628 |
|----------------|----------------------|-------|------------------|------------------|----------|
| A101-001 | Automatic Relock | No | 3' TO 4' | 63/4" | 2,111.00 |
| A101-002 | Automatic Relock | Yes* | 3' TO 4' | 63/4" | 2,355.00 |
| A101-012 | Automatic Relock | No | 3' ONLY | 51/4" - 53/4" | 1,863.00 |
| A101-013 | Automatic Relock | Yes* | 3' ONLY | 51/4" - 53/4" | 2,111.00 |
| A101-014 | Automatic Relock | No | 4' ONLY | 51/4" - 53/4" | 2,035.00 |
| A101-015 | Automatic Relock | Yes* | 4' ONLY | 51/4" - 53/4" | 2,279.00 |
| A102-001 | Manual Relock | No | 3' TO 4' | 63/4" | 2,035.00 |
| A102-002 | Manual Relock | Yes* | 3' TO 4' | 63/4" | 2,279.00 |
| A101-F01 | Automatic-Fire Rated | No | 3' TO 4' | 63/4" | 2,355.00 |
| A101-F02 | Automatic-Fire Rated | Yes* | 3' TO 4' | 63/4" | 2,600.00 |

* ALARM MODELS A101-002, A101-013, and A101-F02 require two 9 volt batteries (INCLUDED) and a Standard 1-1/8" mortise cylinder (NOT INCLUDED).

Optional Kits: (A/C Adapter, Alarm, Double Door, Low Profile)

| Kit Number | Description | US28/628 |
|------------|---|----------|
| A103-002 | Switch - For wiring to existing system (one individual kit) | 115.00 |
| A103-003 | Alarm Sub - Assembly | 968.00 |
| A104-001 | Low Profile Installation Kit - For door jambs greater than 6 3/4" | 293.00 |
| A106-001 | Standard Double Door Kit - For all models | 434.00 |
| A106-002 | Low Profile Installation Kit - For jamb depths greater than 6 3/4" | 464.00 |
| A107-001 | A/C Adapter Kit - For plug in battery back-up | 495.00 |
| A107-002 | A/C Adapter Hard Wire Kit - Wiring to electrical system w/battery back-up | 681.00 |
| DROP SHIP | Drop Ship Fee For Items Shipped Under \$300 | 115.00 |

Deadbolts (Required) For Double Door Applications:

| Model | Description | US28/628 |
|----------|--|----------|
| 1881-003 | Sliding Deadbolt w/Padlock locking Hasp & Strike | 310.00 |
| 1883-003 | Sliding Deadbolt Keylocking with Strike | 355.00 |

To Order: Specify: 7R-A101-001 × US28/628.




Precision Wide & Narrow Stile, Precision Trim



| rim N | umber | 606, 612, 613, 622, 630, 690 | 605, 625 | Trim I |
|-------------------|--|---------------------------------|----------|---|
| 701, R17 | 701, 2001 (cover plate) | 199.00 | 263.00 | 4901, R4 |
| | R1702A, 1703A, R1703A, C1702A, A, 2002C, 2003C | 475.00 | 553.00 | 4902A, R490 M4903A, M4 |
| 21715Á, 201705 | R1705A, 1715A, R1715A, C1705A, Y1705A, Y1715A, M1705A, M1715A, 5A, RM1715A, 2005C, 2015C, C, Y2015C, M2005C, M2015C | 662.00 | 744.00 | 4908A, R4908 Y4914A, M490 RM4914A, 290 |
| | • 630 Trim furnished for 628 Devices. Grip Style 626 for 630 Trim. | "A" and "B" are furn | iished | V4908A, RV4908 VY4908A, RVM49 |
| | Specify No. CO3 Cylinder Attachment Trim for 2 Pull by Others is specified. Available in 605, 606, 612, 613, 625 and 626 finis Add \$ 307.00 to the price of the device | | | Lever Trims are ship 626 Trim is furnishe 2900 Series Trims a Knurled Knob/Lever |

How to Order:



NOTES: • UltraShield[™] Antimicrobial finish coating option available to Precision Trims.

- 630AM list price for Trims Add 37.00

· For pricing on trims for the 5100 and 5200 series devices.

• Devices are priced less cylinders. If cylinder is required please see cylinders.

• Trims with "M" prefix require 1-1/4" Mortise Type Cylinder.

• 2900 Series T rim - Rim Type Cylinder for "03" function and Mortise Type Cylinder for "08" function, not furnished standard. Use 1-1/4" long standard Mortise Cylinder . Specify when required.

 \cdot All other Trims require Rim Type Cylinder

 \cdot Trim No. with prefix "Y" is for Precision Device only.

• No extra charge for different Lever or Grip styles. A Lever/Grip Standard.

BEST Price List PL77 PHI

22

Trims

Mullions

| Description | Product No. | Primer 600 | Aluminum 689 or Dark Bronze 695 |
|---|-------------|-------------------|------------------------------------|
| Complete Mullion Assemblies | | | |
| Removable Mullion - 2" × 2" × 8'-0" | | | |
| Standard | 811 | 845.00 | 999.00 |
| Removable Mullion - 2" × 3" × 8'-0" | | ! | I |
| Standard | 822 | 1,078.00 | 1,226.00 |
| Fire Labeled (Includes Stabilizers) | FL822 | 1,382.00 | 1,533.00 |
| Hurricane Code | HC822 | 1,533.00 | 1,683.00 |
| Fire Labeled Hurricane Code | FLC822 | 1,840.00 | 1,988.00 |
| Key Removable Mullion - 2" × 3" × 8'-0" | | | |
| Standard | KR822 | 1,840.00 | 2,066.00 |
| Fire Labeled (Includes Stabilizers) | FLKR822 | 2,214.00 | 2,370.00 |
| Hurricane Code | HCKR822 | 2,370.00 | 2,525.00 |
| Fire Labeled Hurricane Code (Includes Stabilizers) | FLHCKR822 | 2,582.00 | 2,680.00 |
| *Key Removable Mullion Storage Kit | | | |
| Storage solution for all KR mullions | KMCB822SK | 1205.00 | 1.282.00 |
| Note: Kit includes (1) KMC822 Top Fitting, (1) MB822 Bottom Fitting and (1) AB822SK Angle Bracket | KIVIUDOZZOK | 1,200.00 | 1,202.00 |
| Individual Mullion Fittings | | | |
| Mullion Cap | MC811 | 179.00 | 205.00 |
| Bottom Fitting-flat sill | MB811 | 131.00 | 167.00 |
| Mullion Cap | MC822 | 287.00 | 315.00 |
| Bottom Fitting-flat sill | MB822 | 232.00 | 271.00 |
| Mullion Storage Kit Individual Angle Bracket | | | |
| Storage Kit Angle Bracket | AB822SK | 128.00 | 128.00 |
| Key Removable Mullion Cap Kit | | | |
| Mullion Cap Assembly | KMC822 | 845.00 | 883.00 |
| Fire Labeled Mullion Cap Assembly | KMC822F | 1,219.00 | 1,187.00 |
| Mullion Fitting Combination Kits | | | |
| 811 Mullion Top & Bottom Fitting Kit (MC811 & MB811) | MCB811 | 310.00 | 372.00 |
| 822 Mullion Top & Bottom Fitting Kit (MC822 & MB822) | MCB822 | 519.00 | 586.00 |
| FL 822 Mullion Top & Bottom Fitting Kit (MC822 & MB822) | MCB822F | 519.00 | 586.00 |
| KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822) | KMCB822 | 1,077.00 | 1,154.00 |
| FL KR 822 Mullion Top & Bottom Fitting Kit (MB822 & KMC822F) | KMCB822F | 1,451.00 | 1,458.00 |
| HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D) | MCB822HC | 873.17 | 940.17 |
| FL HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D) | MCB822HCF | 873.17 | 940.17 |
| HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822 & mullion adapter) | KMCB822HC | 1,431.17 | 1,508.17 |
| FL HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822F & MB822 & mullion adapter) | KMCB822HCF | 1,805.17 | 1,812.17 |
| 822 Mullion Accessories | | | |
| **Mullion Cap Spacer | MCS822 | 128.00 | 153.00 |
| Stabilizers (2 per mullion) - Dull Black | ST989 | 141.00 Dull Black | |
| Interlock - Dull Black | S1447 | 112.00 Dull Black | |

NOTES: • For greater heights add \$19.00 for each additional 12" or less

Removable Mullion and Key Removable Mullion prices include top and bottom Fittings.

• Fire Labeled (FL) and Hurricane Code (HC) mullions 8'0" high maximum

· For individual kit or combination kits please see sections above

*Rim Cylinder not included

** MCS822 mullion cap spacer available as suffix option for 822 series mullions (e.g. 822MCS x 600 x 8')



Strikes

Strikes & Accessories

| Description | Series | Strike No. | Dull Black | 605, 606, 612 613, 625, 626W, 630 |
|-----------------|--|------------|------------|--------------------------------------|
| Strikes - Rim D | levices | | | |
| | 2100, 5100, 100, R100, FL2100, FL5100, FL100, FR100 | 0000 | 110.00 | |
| Standard | 2400, FL2400-Pair of Doors with Mullion | \$300 | 118.00 | - |
| | 2400, FL2400-Single Door (Roller Strike) | S988 | 150.00 | - |
| | 2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, | 0001 | 150.00 | |
| | FL100, FLR100 (Roller Strike) | S301 | 150.00 | - |
| Orational | 2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, | 0/50 | 150.00 | |
| Optional | FL100, FLR100 (Roller Strike) | \$458 | 150.00 | _ |
| | 2100, 5100, 100, R100 (Roller Strike) | S988 | 151.00 | - |
| | 2100 × 2200, 5100 × 5200, 100 × 200 | S459 | 84.00 | - |
| Strikes - Verti | cal Rod Devices | · | | · |
| Top Strike | 2200, FL2200, 5200, FL5200, 200, FL200 | S300 | 118.00 | - |
| Optional | 2200, FL2200, 5200, FL5200, 200, FL200 | S301 | 150.00 | - |
| Bottom Strike | 2200, FL2200, 5200, FL5200, 200, FL200 | S460 | 101.00 | - |
| Strikes - Morti | se Devices | · | | · · · · · |
| Standard | Std Curved Lip Single Door ANSI (handed) | S982 | - | 118.00 |
| | Flat 7/8" Lip ANSI (handed) | S983 | - | 118.00 |
| Optional | Open Back ANSI (handed) | S984 | - | 221.00 |
| | Open Back 8" × 1-1/4" (handed) | S985 | - | 230.00 |
| Strikes - Conc | ealed Vertical Rod Devices | · | | |
| Top Strike | 2700, FL2700, 2800, FL2800, 2600, FL2600 | S519 | 118.00 | - |
| Bottom Strike | 2700, FL2700, 2800, FL2800, 2600, FL2600 | S460 | 101.00 | - |

Accessories

| Series | Description | Product No. | 628 | 606, 612, 613 622, 630, 690 | 626W, 605, 625 | | | |
|----------------|--|------------------------|----------|--------------------------------|----------------|--|--|--|
| Rigid Dummy 1 | ligid Dummy Touchbar | | | | | | | |
| Precision | Wide Stile Rigid | 671DR-3, 671DR-4 | 100000 | 106700 | 1570.00 | | | |
| Precision | Narrow Stile Rigid | N673DR-3, N673DR-4 | 1,082.00 | 1,367.00 | 1,579.00 | | | |
| Active Dummy | Touchbar With Micro Switch | · | | | | | | |
| Precision | Wide Stile Active | TS672DA-3, TS672DA-4 | 1,836.00 | 1,862.00 | 2,083.00 | | | |
| Precision | Narrow Stile Active | TSN674DA-3, TSN674DA-4 | | | | | | |
| Options For Ac | tive Dummy Touchbar | <u>`</u> | ~ | | | | | |
| ALK | Exit Alarm: battery operated kit (9V battery included) | | | | 862.00 | | | |
| ALW | Exit Alarm: remote power kit (12 or 24 VDC) | | | | | | | |
| CD | Cylinder Dogging: 1-1/4" Mortise Cylinder not included | | | | | | | |
| DS | Door Position Monitoring Switch | | | | | | | |
| TDS | Touchbar Monitoring Double Switch | | | | | | | |

| Series | Description | Product No. | All Finishes | |
|--|--|--|--------------|--|
| Mortise Lock - Handed | Í | · | | |
| | Functions 01, 02, 03 | M303, M303F | | |
| Precision & Precision | Functions 05, 08, 14, 15 | M308, M308F | 1,067.00 | |
| | Functions 10 | M310, M310F | | |
| NOTES: • For Electric Morti • 1-1/4" mortise cyli | se Lock see page 26. nder not included. If cylinder is required please see cylinders below. | Lock front furnished beveled. Available in 605, 606, 612, 613, 625, 630 Finishes. When ordering specify: model no, hand and finish. [e.g. M303 × RHRB × 630] | | |
| Fire Bolt Assembly | | | | |
| Precision & Precision Fire Bolt Assembly | | FB277 | 267.00 | |
| Transom Bracket | | | | |
| Precision & Precision | Transom Bracket | TMB453 (Use Strike No. S300) | 116.00 | |

Accessories (continued)

Strikes & Accessories

| Series | Description | Product No. | 628 | 606, 612, 613 622, 630, 690 | 626W, 605, 625 | |
|-------------|-------------------|-------------|-------------------------------------|--------------------------------|----------------|--|
| Tools | | | | | | |
| All Devices | 7/32" Dogging Key | DK220 | 36.00 | | - | |
| | 5/32" Hex Wrench* | HW996 | - 30.00 | - | | |
| Cylinders | | | | | | |
| | Rim Cylinder | IE72 | | | | |
| | Mortise Cylinder | IE74 C4 | See BEST Price Book for more detail | | | |

NOTE: Rim and montise cylinders (housings) as well as interchangeable cores are available from our BEST product line. Please ask your local BEST sales representative about the many options available to fit your specific requirements including patented keying systems such as BEST CORMAX^{**}.

Electrical Products

| Description | Product No. | List Price |
|--|-------------|------------|
| Power Supply - Series ELR150 (Required For ELR Devices) | | |
| Power Supply including (1) control module for (1) device | ELR151 | 1,050.00 |
| Power Supply including (2) control modules for (2) devices | ELR152 | 1,432.00 |
| Power Supply including (3) control modules for (3) devices | ELR153 | 1,820.00 |
| Power Supply including (4) control modules for (4) devices | ELR154 | 2,204.00 |
| Power Supply, no control modules | ELR150 | 667.00 |
| Control Module | | |
| Control Module card (on/off adjustable Time Delay standard) | CM150-08 | 395.00 |
| Battery Back-Up | | |
| Battery back-up card (batteries not included) | BT150-07 | 718.00 |
| Power Supply - Series PS160-6 (Required For DE Devices) | | |
| Power Supply (6 amp) operates up to (4) DE Devices (wire run permitting) | PS161-6 | 1,094.00 |
| Power Supply - RPSMLR (RPSMLR Models Can Power Up To (2) Two MLR Exit D | evices) | · |
| Small encloser, no battery storage | RPSMLR2 | 705.00 |
| Large enclosure for battery storage (Batteries not included) | RPSMLR2BB | 831.00 |

Conversion Kits

| ELRK-4, ELRKF-3, ELRKF-4 | 1,385.00 |
|--------------------------------|----------|
| 3, NELRK-4, NELRKF-3, NELRKF-4 | 1,385.00 |
| | , , |

NOTES: • ELR Conversion Kits are ONLY available for Precision 2000 Series Devices.

* Requires PHI ELR150 Power Supply (see above).

| Motorized Latch Retraction | | |
|---|---------|----------|
| Motorized Latch Retraction Retrofit Kit | RPMLR-K | 1,479.00 |
| | | |

NOTE: When RPMLR-K is ordered for existing exit devices using Hex or Cylinder Dogging, it is recommended to include a blank hinge filler. See PRECISION Precision 2000 illustrated parts catalog www.precisionhardware.com

| Monitoring | | | |
|---------------------------------------|------------------------------------|----------|--------|
| All Precision Devices | Touchbar Monitoring Switch | TSK309 | 344.00 |
| All Precision Devices | Touchbar Monitoring Double Switch | TDSK310 | 419.00 |
| Precision Wide Rim Device Only | Latchbolt Monitoring Switch | LSRK298 | 333.00 |
| Precision Wide Rim Device Only | Latchbolt Monitoring Double Switch | LDSRK299 | 406.00 |
| Precision Wide SVR or CVR Devices Onl | y Latchbolt Monitoring Switch | LSVK910 | 333.00 |



Electrical Products (continued)

Strikes & Accessories

| Description | | Product No. | List Price |
|-----------------------------------|---|-------------|------------|
| Q Option Retrofit Kits | | | |
| Wireless Access Management System | OSRK5267 – 2103 Rim OSVK5268 – 2203, 2703 Surface and Concealed Vertical Rod Surface and Conceled Vertical Rod | | 838.00 |

· Latchbolt Monitoring for Precision Mortise Devices, specify LSM303 or LSM308 Electric Mortise Lock.

| Electric Rim Device | | | |
|--------------------------|-----------------------------------|--------|--------|
| 2103, FL2103 Rim Devices | Electric Lock/Unlock Outside Trim | E2103K | 921.00 |

| Description | Product No. | All Finishes |
|--|-------------------|--------------|
| Electric Mortise Lock | | |
| Latchbolt monitoring, "O3" Function | LSM303, LSM303F | 1,422.00 |
| Latchbolt monitoring, "08" Function | LSM308, LSM308F | 1,422.00 |
| Electric lock/unlock with switch to monitor outside trim (locked/unlocked) | EM303, EM303F | 1,983.00 |
| Electric lock/unlock with switches to monitor the outside trim (locked or unlocked) and to monitor the latchbolt | LSEM303, LSEM303F | 2,071.00 |

NOTES: • Fail Secure "FSE" is furnished standard. When Fail Safe is required specify "FS".

Electric lock/unlock option specify 24V.

• Price does not include 1-1/4" mortise cylinder. If cylinder is required please see cylinders.

Lock front furnished beveled.

• When ordering specify: model no, voltage (24V), Fail Safe/Fail Secure, hand and finish. (e.g. EM303 × 24V × FS × RHRB × 630)

| Device Series | Description | Device Size | Kit No. | All Finishes |
|-----------------------------|--------------------|-------------|---------|--------------|
| Exit Alarm Kit | | · | | |
| | Datton (Openated* | 3'-0" | ALK-3 | |
| Precision Wide Stile . | Battery Operated* | 4'-0" | ALK-4 | 982.00 |
| Precision while stile . | Remote Power | 3'-0" | ALW-3 | 902.00 |
| | | 4'-0" | ALW-4 | |
| | Battery Operated* | 3'-0" | NALK-3 | |
| Des sisiers News over Otile | | 4'-0" | NALK-4 | |
| Precision Narrow Stile | Remote Power | 3'-0" | NALW-3 | 982.00 |
| | | 4'-0" | NALW-4 | |
| | Battery Operated* | 3'-0" | RALK-3 | |
| D | | 4'-0" | RALK-4 | 000.00 |
| Precision** | Dereste Dewen | 3'-0" | RALW-3 | 898.00 |
| | Remote Power | 4'-0" | RALW-4 | |
| NH495 Wiring Harness - I | arm | 69.00 | | |

NOTES: • Narrow and Wide Stile, kits are available in 605, 606, 612, 613, 625, 628, 630 Finishes.

To order specify Kit No. and Finish (e.g. ALK-3 × 630).

* For Battery operated kits a 9 Volt Battery is included.

** Precision Series, kits are available in 689 or 695 Finishes.

| Device Series | Description | Device Size | Kit No. | All Finishes | |
|----------------------------------|--------------------------|-------------|---------|--------------|--|
| Door Position Monitoring Switch* | | | | | |
| Precision Wide Stile | Door Position Switch Kit | All | DS880 | 212.00 | |
| Precision Narrow Stile | Door Position Switch Kit | All | NDS986 | 212.00 | |

* Kit includes Endcap and Endcap Mounting Bracket, specify finish.

| Power Transfer | | |
|---|---------|--------|
| Conc Power Transfer - accepts 5/16" wire bundle - max. 120° degree swing | EPT-5 | 372.00 |
| Door Loop - Armored Flex Conduit (less wires) 18" long - max. 120º degree swing | EPT-2 | 115.00 |
| Electric Power Transfer | EPT-12C | 834.00 |

Precision Component Assemblies - Wide Stile

Component Assemblies

| Description | Function/ Device Type | Assembly No. | Steel Plated | 628 | 606, 612, 613, 622 630, 690 | 626W, 605, 629 |
|---|-------------------------------|---------------------------------------|--------------|-----------|--------------------------------|-------------------|
| Active Case (Includes Lock Side Filler) | 1 | | | 1 | 1 | |
| Dian Davienci i la | 01,02,03 | A2103 | | 0/5.00 | 943.00 | 1,001.00 |
| Rim - Reversible | 05, 08, 14, 15 | A2108 | 1 - | 945.00 | | |
| Rim - Reversible (Fire Rated) | 01, 02 , 03 | A2103F | | 1.178.00 | 1.171.00 | 10// 00 |
| RIM - Reversible (FILe Raleu) | 05, 08, 14, 15 | A2108F | 1- | 1,17 0.00 | 1,17 1.00 | 1,244.00 |
| Surface Vertical Rod - Reversible | 01, 02, 03 | A2203, A2203F | | | | |
| Sulfiace ventical Rou - Revensible | 05, 08, 14, 15 | A2208, A2208F |] | | | |
| Mantina Devensible | 01, 02, 03, 05 | A2303 | | | | |
| Mortise - Reversible | 08, 14, 15 | A2303F | | 945.00 | 94300 | 100100 |
| Concealed Vertical Rod (metal) - Reversible | 01, 02, 03 | A2803, A2803F | 1- | 945.00 | 943.00 | 1,001.00 |
| CUI ICEAIEU VEI IICAI RUU (TTIELAI) - REVEI SIDIE | 05, 08, 14, 15 | A2808, A2808F | | | | |
| Concealed Vertical Rod (wood) - Reversible | 01, 02, 03 | A2703, A2703F | | | | |
| CUIICEAIEU VEI TICAI RUU (WUUU) - REVEI SIDIE | 05, 08, 14, 15 | A2708, A2708F | | | | |
| Top Latch | | | | | | |
| Surface Vertical Rod (630 furnished for 628, includes Latch Cover) | 2200, FL2200 | TL22, TL22F | - | - | 560.00 | 636.00 |
| Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly) | 2800, FL2800 | TL28-8, TL28-10, TL28F-8, TL28F-10 | 385.00 | - | - | - |
| Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly) | 2700, FL2700 | TL27-8, TL27-10, TL27F-8 | 587.00 | - | - | - |
| Bottom Latch | | | | | | |
| Surface Vertical Rod (630 furnished for 628, includes Latch Cover) | 2200, FL2200 | BL22, BL22F | - | - | 500.00 | 571.00 |
| Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly) | 2800, FL2800 | BL28, BL28F | 272.00 | - | - | - |
| Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly) | 2700, FL2700 | BL27, BL27F | 457.00 | - | - | _ |
| Covers | 1 | 1 | 1 | 1 | 1 | |
| Active Case | | | | | | |
| Rim | 2100, FL2100 | AC21 | | | | |
| Rim "10" Function - Handed | 2110, FL2110 | AC2110 | | | | |
| Surface Vertical Rod | 2200, FL2200 | AC22 | | | | |
| Mortise | 2300, FL2300 | AC23 | 1 | 195.00 | 272.00 | 355.00 |
| Mortise "10" Function - Handed | 2310, FL2310 | AC2310 | 1 | | | |
| Concealed Vertical Rod | 2700, FL2700, 2800, FL2800 | AC23 | - | | | |
| Rim "10VI" Function With Visual Lock/Unlock Indicator Window | 2110VI, FL2110VI | AC2110VI | - | 227.00 | 317.00 | 365.00 |
| SVR Latch Case | 1 | 1 | 1 | 1 | 1 | L |
| (Top or Bottom) (630 furnished for 628) | 2200, FL2200 | LC22 | - | - | 245.00 | 299.00 |





Precision Component Assemblies - Wide Stile

Component Assemblies

| Description | Function/ Device Type | Assembly No. | Steel Plated | 628 | 606, 612, 613, 622 630, 690 | 626W, 605, 628 |
|--|--------------------------|--|--------------|----------|--------------------------------|-------------------|
| Touchbar Components | | Į | | | | |
| Touchbar Assembly (less active case, end cap & brkt.) | All Devices | TBA-3, FLTBA-3, TBA-4, FLTBA-4, TBA-26, FLTBA-26 | _ | 1,410.00 | 1,630.00 | 1,816.00 |
| Device Endcap | 1 | | | | | |
| Endcap | All Devices | EC992 | - | - | 132.00 | 172.00 |
| Nounting Bracket | All Devices | MB305 | 93.00 | - | - | - |
| Center Chassis | | | | | | |
| Concealed Vertical Rod (metal) | 2800, FL2800 | CCH344 | 570.00 | - | _ | - |
| Top Rod | | | | | | |
| Surface Vertical Rod | 7'-0" | TR1854 | | | | |
| (Includes Rod Pin, Clip & Rod Guide) | 8'-0" | TR1855 | _ | | 151.00 | 195.00 |
| (630 furnished for 626 and 628) | 10'-0" | TR1857 |] - | _ | 131.00 | 190.00 |
| 12'-0" is not available on Fire Rated Devices) | 12'-0" | TR5197 | 1 | | | |
| Concorded Ventical Red (motal) | 6'-8" to 8'-0" | TR551 | 21/ 00 | | | |
| Concealed Vertical Rod (metal) | 8'-1" to 10'-0" | TR552 | 214.00 | - | _ | - |
| | 6'-8"to 8'-0" | TR554 | 0/000 | | | |
| Concealed Vertical Rod (wood) | 8'-1" to 10'-0" | TR555 | 349.00 | - | - | - |
| Bottom Rod | | | | | | |
| Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide) (630 furnished for 626 and 628) | All Devices | BR1859 | - | _ | 151.00 | 195.00 |
| Concealed Vertical Rod (metal)(Includes Bottom bolt) | All Devices | BR553 | 214.00 | - | - | - |
| Concealed Vertical Rod (wood) (Includes Bottom bolt) | All Devices | BR556 | 349.00 | - | - | - |
| Extended Bottom Rod | | | | | | |
| Surface Vertical Rod | All Devices | BR5247-09 | - | - | 245.00 | 299.00 |
| Concealed Vertical Rod (metal)(Bottom bolt NOT included) | All Devices | BR5244-09 | 180.00 | - | - | - |
| Concealed Vertical Rod (wood) (Bottom bolt NOT included) | All Devices | BR5246-09 | 180.00 | - | - | - |
| Rod Guide, Pin & Clip | | | | · | | |
| Surface Vertical Rod | 2200, FL2200 | RG124 | - | - | 80.00 | 81.00 |
| Cylinder Dogging Kit | | | | | | |
| Cylinder Dogging Kit (1-1/4" Mortise Cylinder not included) | All Devices | CDK-3, CDK-4 | - | 267.00 | 267.00 | 272.00 |
| Double Cylinder Kit - "10" Function - Handed (Cylinders not included) | | | | | | |
| Rim Device (Includes locking/cylinder assy, cylinder collar and active case cover) | | RDC-10 | - | 694.00 | 771.00 | 894.00 |
| Double Cylinder With Visual Lock/Unlock Indicator Kit – "10 | VI" Function – Ha | nded | | | | |
| Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and active case cover | | RDC-10VI | - | 1,049.00 | 1,125.00 | 1,241.00 |
| Fire Rated Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and FL active case cover | | FRDC-10VI | - | 1,309.00 | 1,383.00 | 1,500.00 |
| Mortise Device (Includes M310 Mortise Lock, extension assy, cylinder bracket/collar and active case cover) | | MDC-10 | _ | 1,787.00 | 1,867.00 | 1,994.00 |
| Shim Kit | | | | | | |
| One set of 1/8" shims | All Devices | SMK994 (Dull Black) | 108.00 | - | - | - |
| Back Plate | | | | | | |
| Access Control Trim Center Driven Cam | All Devices | BP21 | 105.00 | - | - | - |

NOTE: Converts 2101, 2102, 2103, 2108 to 21 Center driven cam exit device



Precision Component Assemblies - Narrow Stile

Component Assemblies

| Description | Function/ Device Type | Assembly No. | Steel Plated | 628 | 606, 612, 613, 622 630, 690 | 626W, 605, 629 |
|--|--------------------------|---------------------------------------|--------------|----------|--------------------------------|-------------------|
| Active Case (Includes Lock Side Filler) | | | | | | |
| | | A24 | - | 1,040.00 | 1,035.00 | 1,034.00 |
| Rim - Non Handed | All Functions | A24F | _ | 1,270.00 | 1,266.00 | 1,344.00 |
| Concealed Vertical Rod (metal) - Non Handed | All Functions | A26, A26F | _ | 1,040.00 | 1,035.00 | 1,106.00 |
| Cover | | - | - | · | <u> </u> | |
| Active Case | | | | | | |
| Rim | 2400, FL2400 | AC24 | | 105.00 | 070.00 | 055.00 |
| Concealed Vertical Rod | 2600, FL2600 | AC26 | _ | 195.00 | 272.00 | 355.00 |
| Touchbar Components | | | 1 | 1 | | |
| Touchbar Assembly (less active case, end cap & bracket) | All Devices | NTBA-3, FLNTBA-3, NTBA-4, FLNTBA-4 | - | 1,412.00 | 1,643.00 | 1,816.00 |
| Device Endcap | 1 | | | | | |
| Endcap | All Devices | NEC993 | - | _ | 132.00 | 172.00 |
| Mounting Bracket | All Devices | NMB591 | 93.00 | _ | - | _ |
| Center Chassis | 1 | | | | | |
| Concealed Vertical Rod (metal) | 2600, FL2600 | CCH343 | 618.00 | _ | - | _ |
| Top Latch | | | | | | |
| Concealed Vertical Rod | 2600 | TL28-8, TL28-10 | - 385.00 | | | |
| (metal, includes Top Latch & Rod Assembly) | FL2600 | TL28F-8, TL28F-10 | | - | _ | - |
| Bottom Latch | | | | | | |
| Concealed Vertical Rod | 2600 | BL28 | 272.00 | | | _ |
| (metal, includes Bottom Bolt & Rod Assembly) | FL2600 | BL28F | 272.00 | - | - | |
| Top Rod | | | | | | |
| Concealed Vertical Rod (metal) | 6'-8" to 8'-0" | TR551 | 21/ 00 | | | - |
| Concealeu vertical Rou (metal) | 8'-1" to 10'-0" | TR552 | 214.00 | - | - | |
| Bottom Rod | | | | | | |
| Concealed Vertical Rod (metal) (Includes Bottom Bolt) | All Devices | BR553 | 214.00 | - | - | _ |
| Extended Bottom Rod | | | | | | |
| Concealed Vertical Rod (metal) (Bottom bolt NOT included) | All Devices | BR5244-09 | 180.00 | - | - | _ |
| Cylinder Dogging Kit | | | | | | |
| Narrow Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included, see pg.30) | All Devices | NCDK-3, NCDK-4 | - | 267.00 | 267.00 | 272.00 |
| Shim Kit | | | | · | · | |
| Kit consists of: one set of 1/8" shims | All Devices | NSMK995 (Dull Black) | 108.00 | _ | - | _ |

NOTE: Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.



Precision Component Assemblies

| Description | Device Type | Assembly No. | Steel Plated | 689, 695 | Black |
|---|--------------|----------------|--------------|----------|--------|
| Covers | | | | 1 | |
| Active Case | | | | | |
| Rim | 5100, FL5100 | AC5100 | | | 139.00 |
| Surface Vertical Rod | 5200, FL5200 | AC5200 | _ | - | 139.00 |
| SVR Latch Case (Top or Bottom) | 5200, FL5200 | LC5200 | _ | - | 105.00 |
| Device Endcap | | | | | |
| Endcap | All Devices | REC999 | 9100 | - | 93.00 |
| Mounting Bracket | All Devices | MB305 | 91.00 | | 93.00 |
| Top Latch | | | | | |
| Surface Vertical Rod (Includes Latch Cover) | 5200, FL5200 | TL52, TL52F | - | - | 384.00 |
| Bottom Latch | | | | | |
| Surface Vertical Rod (Includes Latch Cover) | 5200, FL5200 | BL52, BL52F | - | - | 320.00 |
| Top Rod | | | | | |
| | 7'-0" | RTR1860 | | 108.00 | |
| Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide) | 8'-0" | RTR1861 | | | - |
| | 10'-0" | RTRI863 | | | |
| Bottom Rod | | | | | |
| Surface Vertical Rod (metal) (Includes Rod Pin, Clip & Rod Guide) | All Devices | RBR1864 | - | 108.00 | - |
| Extended Bottom Rod | | | | | |
| Surface Vertical Rod | All Devices | BR5248-09 | - | 179.00 | - |
| Rod Guide, Pin & Clip | | | | | |
| Surface Vertical Rod | 5200, FL5200 | RRG123 | - | - | 65.00 |
| Cylinder Dogging Kit | | | | | |
| Precision Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included) | | RCDK-3, RCDK-4 | - | 214.00 | - |

NOTES: • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.

• Top and Bottom Latch assemblies are priced with covers, deduct cover price if not required.



Precision Component Assemblies - Crossbar

Component Assemblies

| Description | Function/Device Type | Assembly No. | 606, 612 613, 630 | 605, 625 |
|-----------------------------------|----------------------|---------------|-------------------|-----------|
| Active Case | | - | | |
| | 01, 02, 03 | A103 | 1015.00 | 1,000.000 |
| Rim - Handed | 05, 08, 14, 15 | A108 | 1,315.00 | 1,468.00 |
| | 01, 02, 03 | AR103 | 1015.00 | |
| Rim - Reversible | 05, 08, 14, 15 | AR108 | 1,315.00 | 1,468.00 |
| im - Handed | 01, 02, 03 | A103F | 15 (0.00 | 1707.00 |
| RIM - Handed | 05, 08, 14, 15 | A108F | 1,549.00 | 1,707.00 |
| | 01, 02, 03 | ARIO3F | 15 (0.00 | 1707.00 |
| Rim - Reversible | 05, 08, 14, 15 | AR108F | 1,549.00 | 1,707.00 |
| | 01, 02, 03 | A203, A203F | 1015.00 | 1/00.00 |
| Surface Vertical Rod - Reversible | 05, 08, 14, 15 | A208, A208F | 1,315.00 | 1,468.00 |
| Mortise - Handed | All Functions | A303, A303F | 1,315.00 | 1,468.00 |
| Inactive Case | , | - | | |
| All - Reversible | All Devices | B123, B123F | 948.00 | 1,095.00 |
| Top Latch | , | | | |
| Surface Vertical | 200 | TL22 | 50000 | 636.00 |
| Rod | FL200 | TL22F | - 560.00 | |
| Bottom Latch | · · · · · · | | | |
| Surface Vertical | 200 | BL22 | 50000 | 57100 |
| Rod | FL200 | BL22F | | 571.00 |
| Covers | | | | |
| Active Case | | | | |
| Rim - Handed | 100, FL100 | AC10, AC10F | | |
| Rim - Reversible | R100, FLR100 | ACRIO, ACRIOF | 075.00 | 05000 |
| Surface Vertical Rod | 200, FL200 | AC20, AC20F | 275.00 | 358.00 |
| Mortise | 300, FL300 | AC30, AC30F | | |
| Inactive Case | · · · | | | |
| Panic Exit Hardware | All Devices | HS123 | 275.00 | 358.00 |
| Fire Exit Hardware | All Devices | HS123F | 2/ 0.00 | 330.00 |
| SVR Latch Case | · | | | |
| (Top or Bottom) | 200, FL200 | LC22 | 245.00 | 299.00 |

NOTES: • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware. • Assemblies are priced with covers, deduct cover price if not required.

* Specify Hand for all reversible or handed Active Case Assemblies.



Precision Component Assemblies - Crossbar

Component Assemblies

| Description | Function/ Device | Assembly No. | | Steel Plated | 606, 612 613, 630 | 605, 625 |
|--------------------------------|------------------|--------------|----------|--------------|----------------------|----------|
| Crossbar* | | 3' Door | 4' Door | | | |
| Standard | All Devices | CB123-3 | CB123-4 | _ | 189.00 | 229.00 |
| Reinforced | All Devices | CBR123-3 | CBR123-4 | _ | 225.00 | 264.00 |
| Knurled | All Devices | CBK123-3 | CBK123-4 | _ | 460.00 | 504.00 |
| Crossbar Plug | · | | | ' | | |
| | All Devices | CP123 | | _ | 50.00 | 54.00 |
| Top Rod* | | | | | | · · |
| | 7'-0" | TR1854 | | | 151.00 | |
| Surface Vert Rod | 8'-0" | TR1855 | | | | 105.00 |
| | 10'-0" | TR1857 | | - | | 195.00 |
| | 12'-0" | TR5197 | | | | |
| Bottom Rod* | · | | · | | | |
| Surface Vertical Rod | All Devices | BR1859 | | - | 151.00 | 195.00 |
| Extended Bottom Rod | · | | | | | |
| Surface Vertical Rod | All Devices | BR5247-09 | | _ | 245.00 | 288.00 |
| Rod Guide, Pin & Clip | · | | · | | | |
| Surface Vertical Rod | 200, FL200 | RG124 | | _ | 81.00 | 78.00 |
| Back Plate Assemblies - Rim De | evices | , | | | | |
| Rim | 01, 02, 03 | BP103 | | 108.00 | | |
| RIIII | 05, 08, 14, 15 | BP108 | | 100.00 | - | - |
| Currence Vent Ded | 01, 02, 03 | BP203 | | 100.00 | | |
| Surface Vert Rod | 05, 08, 14, 15 | BP208 | | 108.00 | - | - |

* 630 furnished for 626

Trim Components Assemblies

| Series | Description | Kit No. | | | | |
|-----------------------|--|---------|----------|-----------|--------|--|
| Trim Function Convers | ion Kits | | | | | |
| 4900 Trim | From "03" to "08" or "02" to "14" | FC-08 | YFC-08 | Precision | 267.00 | |
| V// 000 Taina | From "03" to "08" or "02" to "14" | VFC-08 | YVFC-08 | Precision | | |
| V4900 Trim | From 4900 Trim to V4900 Trim | B-49-01 | YB-49-01 | Precision | 267.00 | |
| M4900 Trim | From "03" to "08" or "02" to "14" | MFC-08 | MYFC-08 | Precision | | |
| 0000 T : | From "08" to "03" (**specify Lever Style and finish) | NFC-03 | | 26- | | |
| 2900 Trim | From "03" to "08" (**specify Lever Style and finish) | NFC-08 | | | 267.00 | |
| Cylinder Attachment K | its (Cylinders not included) | 1 | | | | |
| Wide Otile | 1700, 2000, 4900, V4900, 603 and 703A Series Trim | CA-03T | | | 61.00 | |
| Wide Stile | Device, "03" function, no outside Trim | CA-03 | | | 36.00 | |
| | Device, "03" function, no outside Trim | *NCA-03 | | | 58.00 | |
| Narrow Stile | 2900 Trim - for "03" function | CA-2903 | | | 67.00 | |
| | 2900 Trim - for "08" function | CA-2908 | | | 67.00 | |
| Precision | 808A Trim (specify finish 689 or 695) | RCA-08 | | | 67.00 | |

** Please see specific catalog pages for finish designation.

* Specify finish



Weight Chart

| Weights are to the nearest 0.25 Lb. and | | 628 | 605, 606 | 605, 606, 612, 613, 622, 625, 626W, 630, 690 | | | |
|---|---------|--------|----------|--|-----------|----------------------|--|
| for estimating purposes only. | Wide | Narrow | Wide | Narrow | Precision | 689,695 Precision | |
| Devices - Less Trim | · · · · | 1 | | | | | |
| Rim | 15.00 | 14.25 | 18.50 | 18.00 | 14.00 | 15.00 | |
| Surface Vertical Rod | 18.00 | _ | 23.25 | _ | 19.00 | 18.50 | |
| Less Bottom Rod | 17.25 | - | 21.25 | _ | 18.00 | 16.75 | |
| Mortise | 17.00 | _ | 20.00 | _ | 16.00 | _ | |
| Concealed Vertical Rod (metal) | 19.25 | 18.75 | 22.50 | 22.00 | - | - | |
| Less Bottom Rod | 18.25 | 17.50 | 21.50 | 21.00 | _ | - | |
| Concealed Vertical Rod (wood) | 18.75 | _ | 22.50 | _ | _ | _ | |
| Less Bottom Rod | 17.00 | - | 21.00 | _ | - | - | |
| Device with DE option: add 13.00 | | | | | | | |
| Trims | | | | | | 1 | |
| 1700A | 3.00 | - | 3.00 | _ | 3.00 | _ | |
| 2000A | 3.25 | _ | 3.25 | _ | 3.25 | _ | |
| 2900A | _ | 3.00 | _ | 3.00 | - | _ | |
| 4900A, 4900K | 5.50 | _ | 5.50 | _ | 5.50 | _ | |
| V4908A | 6.00 | _ | 6.00 | _ | 6.00 | _ | |
| CO3 | 2.00 | _ | 2.00 | _ | 2.00 | _ | |
| 501 | _ | _ | _ | _ | _ | 0.75 | |
| 602,603 | _ | _ | _ | _ | _ | 1.00 | |
| 702,703 | _ | - | - | _ | - | 1.75 | |
| 808A, 814A | _ | _ | _ | _ | _ | 3.25 | |
| Active Case Assembly | | | | | | 1 | |
| Rim Device | 2.50 | 2.00 | 2.50 | 2.00 | 6.00 | 1.25 | |
| Vertical Rod Device | 3.00 | _ | 3.00 | _ | 6.00 | 1.25 | |
| Mortise Device | 2.25 | - | 2.25 | _ | 5.50 | _ | |
| Concealed Vertical Rod (metal) | 3.00 | 1.75 | 3.00 | 1.75 | _ | _ | |
| Concealed Vertical Rod (wood). | 3.00 | _ | 3.00 | _ | - | _ | |
| Touchbar Assembly | | | | | | | |
| 3'- 0" Device | 10.25 | 10.25 | 13.75 | 13.75 | - | 10.25 | |
| 4'- 0" Device | 11.50 | 11.50 | 15.00 | 15.00 | - | 11.00 | |
| ELR Device | 12.50 | 12.50 | 15.00 | 15.00 | _ | _ | |
| Dummy Touchbar | 8.75 | 8.75 | 14.50 | 14.50 | _ | _ | |
| Inactive Case Assembly | | 1 | 1 | | 1 | 1 | |
| 3'- O" Device | _ | _ | _ | _ | 3.00 | - | |
| Top Latch Assembly | | 1 | | 1 | 1 | | |
| Surface Vertical Rod | 2.50 | _ | 2.50 | _ | 2.50 | 2.00 | |
| Concealed Vertical Rod | 2.75 | 2.75 | 2.75 | 2.75 | _ | - | |
| Bottom Latch Assembly | 1 | | | | 1 | | |
| Surface Vertical Rod | 2.00 | _ | 2.00 | - | 2.00 | 1.75 | |
| Concealed Vertical Rod | 2.50 | 2.50 | 2.50 | 2.50 | - | - | |
| | | | | | | | |

* 630 furnished for 626

| Mullions | | |
|---------------------|-------|---|
| 811 | 24.00 | F |
| Mullion Fittings | | [|
| MC811 | 0.50 | 8 |
| MB811 | 0.50 | |
| MB822 | 1.00 | 1 |
| Mortise Lock | | 1 |
| M303, M308, M310 | 2.75 | _ |
| Low Energy Operator | | F |
| D-4990 | 40.00 | _ |
| D-4990T | 40.00 | ł |
| | • | |

| Electronics | |
|-------------|-------------|
| PS-161 | 10.0 |
| EPT-5 | 1.00 |
| 822 | 30.00 |
| | · · · |
| VC822 | 2.25 |
| MC822F | 2.25 |
| | · · · · · · |
| FL822 | 30.00 |
| | |
| KMC822 | 3.75 |
| MC822F | 3.75 |



Quoting & Ordering

Price quotations are based on one [1] shipment to one [1] location, and are valid as identified in the quote but in no case longer than one year from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor NameDistributor Location
- Architects Name, Phone Number and Architects Location
- Distributor Contact Name and Phone Number
 Distributor e-mail contact
- Specification Writer Name, Phone
 Number and Location
- Project Name
- Project Location

Bid Date

Competitive Influence /
 Specification

LIST OF MATERIALS TO BE QUOTED: Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

NON–STANDARD PRODUCT REQUEST: Please contact your dormakaba USA Representative to complete a Non–Standard Product Request Form.

All requests should be submitted to the following email address: Email: product.request.us@dormakaba.com

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS–orderentry.us@dormakaba.com or by fax to 877–835–1030

NOTE: For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one [1] year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one [1] attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen [14] calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (Required Date, Expected Date, etc. do not apply) These orders will be scheduled to ship on or after the date listed.

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

• Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.

Email: BAS-expediterequest.us@dormakaba.com

• See the then current dormakaba USA Quick Ship Program for details.

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

BEST Cylinder and Precision Exit Device Orders

For current pricing and ordering information associated with Best cylinders please see the Best Price Catalog.



Returned Authorization (RA) Non-Warranty

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non–warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A standard re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to

BAS-rgacreditgrp.us@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
- Item Number
- Account Number Contact Name
- Item Quantity Phone Number
- Purchaser Order Number
- Description of the Problem Sales Order Number
- 1. Upon review and approval of the submitted RA request, a claim
- number is logged and provided back to the requestor by a dormakaba USA Team member:
- 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
- 3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- 4. The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
- 5 Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

Fulfillment Issues

Any quality issues (missing parts, wrong parts, handing, finish, etc) should be submitted electronically to: BAS–rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The guality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handing, function, finish, etc):

Advanced replacements will be issued for any wrong items received. Such orders will be charged based on pricing/discounts from the original order. The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

BEST Price List PL77 PHI

Order Form

dormakaba USA Inc. Attn: Precision Hardware 6161 East 75th Street Indianapolis, IN 46250

| Order Form: | P.O. #: |
|---------------|---------------|
| Date: | Ship to: |
| Sold to: | |
| | |
| | |
| | |
| Phone number: | Date required |
| Placed by: | Job name: |
| Entered by: | Salesperson: |
| | Ship via: |
| | |

| Quantity | Product Description | Handing | Finish | Door Size |
|----------|---------------------|---------|--------|-----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Page 1

Return Authorization Form Request

| Return for Replacement Return for Credit | |
|--|--|
| Date of Request: | |
| Original Order: | NATURE OF PROBLEM |
| Date of Request: | |
| Original P.O.: | Manufacturing Defect |
| Invoice #: | Warranty Evaluation |
| Customer Name: | Missing Parts |
| Account Number: | Wrong Material Received |
| Address: | Wrong Material Ordered |
| City: | Wrong Quantity |
| State: Zip: | Return Inventory |
| Contact Name: | , |
| E-mail: | |
| Phone: | NOTE: All returns shall be subject to dormakaba USA Inc.'s current Terms of Sale and Warranty as outlined in the price catalog. |
| | |

Ship Replacement Material to Address Above

Ship Replacement Material to Address on Order

DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

| RETURN MATERIAL | | | | | |
|--|----------|----------------------|---------------------|--|--|
| Line Item # | Quantity | Product Nomenclature | Product Description | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1–877–835–1030 | | | | | |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Notes



| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Notes

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Notes



CORPORATE HEADQUARTERS 6161 EAST 75TH STREET INDIANAPOLIS, IN 46250 USA

Phone 855-365-2407

bestaccess.com

For questions about ordering and to be sure you get the right configuration for your needs, contact your BEST dormakaba sales representative. 6161 East 75th Street, Indianapolis, IN 46250 USA | 855-365-2407 | bestaccess.com

BEST is a trademark of dormakaba Holding[®] 2025 All rights reserved. BEST is a member of the dormakaba Group, one of the top three providers for access and security solutions, globally. PL77PHI 02-25

dormakaba 🚧